

Commercial Dishwashers Key Product Criteria

Version 2.0

Qualified models meet all ENERGY STAR requirements as listed in the Version 2.0 ENERGY STAR Program Requirements for Commercial Dishwashers that are effective as of February 1, 2013.

Energy Efficiency Requirements for Commercial Dishwashers

| Machine Type | High Temp Efficiency Requirements | | Low Temp Efficiency Requirements | |
|------------------------------------|-----------------------------------|---------------------------|----------------------------------|---------------------------|
| | Idle Energy Rate* | Water Consumption** | Idle Energy Rate* | Water Consumption** |
| Under Counter | ≤ 0.50 kW | ≤ 0.86 GPR | ≤ 0.50 kW | ≤ 1.19 GPR |
| Stationary Single Tank Door | ≤ 0.70 kW | ≤ 0.89 GPR | ≤ 0.60 kW | ≤ 1.18 GPR |
| Pot, Pan, and Utensil | ≤ 1.20 kW | ≤ 0.58 GPSF | ≤ 1.00 kW | ≤ 0.58 GPSF |
| Single Tank Conveyor | ≤ 1.50 kW | ≤ 0.70 GPR | ≤ 1.50 kW | ≤ 0.79 GPR |
| Multiple Tank Conveyor | ≤ 2.25 kW | ≤ 0.54 GPR | ≤ 2.00 kW | ≤ 0.54 GPR |
| Single Tank Flight Type | Reported | $GPH \leq 2.975x + 55.00$ | Reported | $GPH \leq 2.975x + 55.00$ |
| Multiple Tank Flight Type | Reported | $GPH \leq 4.96x + 17.00$ | Reported | $GPH \leq 4.96x + 17.00$ |

*Idle results should be measured with the **door closed** and represent the total idle energy consumed by the machine including all tank heater(s) and controls. Booster heater (internal or external) energy consumption should not be part of this measurement unless it cannot be separately monitored per the ENERGY STAR Test Method.

**GPR = gallons per rack; GPSF = gallons per square foot of rack; GPH = gallons per hour; x = maximum conveyor speed (feet/min as verified through NSF 3 certification) x conveyor belt width (feet).

******Commercial Dishwashers Approved List comes after this page******

2018 Commercial Dishwashers

NOTES:

Energy Requirements

| Machine Type | High Temp Efficiency Requirements | | Low Temp Efficiency Requirements | |
|-----------------------------|-----------------------------------|----------------------|----------------------------------|----------------------|
| | Idle Energy Rate | Water Use | Idle Energy Rate | Water Use |
| Under Counter | ≤ 0.50 kW | ≤ 0.86 GPR | ≤ 0.50 kW | ≤ 1.19 GPR |
| Stationary Single Tank Door | ≤ 0.70 kW | ≤ 0.89 GPR | ≤ 0.60 kW | ≤ 1.18 GPR |
| Pot, Pan, and Utensil | ≤ 1.20 kW | ≤ 0.58 GPSF | ≤ 1.00 kW | ≤ 0.58 GPSF |
| Single Tank Conveyor | ≤ 1.50 kW | ≤ 0.70 GPR | ≤ 1.50 kW | ≤ 0.79 GPR |
| Multiple Tank Conveyor | ≤ 2.25 kW | ≤ 0.54 GPR | ≤ 2.00 kW | ≤ 0.54 GPR |
| Single Tank Flight Type | Reported | GPH ≤ 2.975x + 55.00 | Reported | GPH ≤ 2.975x + 55.00 |
| Multiple Tank Flight Type | Reported | GPH ≤ 4.96x + 17.00 | Reported | GPH ≤ 4.96x + 17.00 |

*GPR: Gallons per Rack

**GPH: Gallons per Hour

***GPSF: Gallons per Square Foot

x: Maximum conveyor speed

| Brand Name | Model Number | Machine Type | Sanitization Method | Idle Energy Rate for Low Temp (kW) | Idle Energy Rate for High Temp (kW) | Water Use *GPR | Water Use **GPH | Water Use ***GPSF |
|------------|--------------------------------|-----------------------------|--|------------------------------------|-------------------------------------|----------------|-----------------|-------------------|
| ADS | SAGES | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 0.89 | | |
| ADS | ADC-44 | Multiple Tank Rack Conveyor | Dual Sanitizing Machine | 0.72 | 1.65 | 0.53 | | |
| ADS | ADC-66 | Multiple Tank Rack Conveyor | Dual Sanitizing Machine | 0.72 | 1.65 | 0.53 | | |
| ADS | AFC-ES | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 0.93 | | |
| ADS | AF-ES | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 0.93 | | |
| ADS | HT-25 | Stationary Single Tank Door | Dual Sanitizing Machine | 0.37 | 0.63 | 0.65 | | |
| Auto-Chlor | A4 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.04 | | |
| Auto-Chlor | A4IW | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.04 | | |
| Auto-Chlor | A4V | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.04 | | |
| Auto-Chlor | A5 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.04 | | |
| Auto-Chlor | A5IW | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.04 | | |
| Auto-Chlor | A5V | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.04 | | |
| Auto-Chlor | AC | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | 0.22 | | 1.04 | | |
| Auto-Chlor | D2 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 0.97 | | |
| Auto-Chlor | D2CL | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 0.97 | | |
| Auto-Chlor | D2CLV | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 0.97 | | |
| Auto-Chlor | D2CR | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 0.97 | | |
| Auto-Chlor | D2CRV | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 0.97 | | |
| Auto-Chlor | D2V | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 0.97 | | |
| Auto-Chlor | U34 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | 0.22 | | 1.04 | | |
| Auto-Chlor | U34B | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | 0.22 | | 1.04 | | |
| Auto-Chlor | U34PT-10 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | 0.22 | | 1.04 | | |
| Blakeslee | UC20 | Under Counter | Hot Water Sanitizing (High Temp) Machine | | | | | |
| Champion | 84, 106 PW, 110 FFPW, 120 HDPW | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 2.14 | 0.34 | | |
| Champion | CH2000 | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.47 | 0.9 | | |
| Champion | DL2000 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.01 | | |
| Champion | EEUCCW4 | Single Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 3.33 | | 112 | |
| Champion | EEUCCW6 | Multiple Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 3.95 | | 132 | |
| Champion | EEUCCW8 | Multiple Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 5.59 | | 134 | |
| Champion | EUCC6 | Multiple Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 3.86 | | 113 | |
| Champion | EUCC6 | Multiple Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 3.5 | | | |
| Champion | EUCC8 | Multiple Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 5.23 | | 141.2 | |
| Champion | EUCCW4 | Multiple Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 4.22 | | 57 | |
| Champion | EUCCW6 | Multiple Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 3.95 | | 129 | |
| Champion | EUCCW6 | Multiple Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 1.98 | | 58.8 | |

| Brand Name | Model Number | Machine Type | Sanitation Method | Idle Energy Rate for Low Temp (kW) | Idle Energy Rate for High Temp (kW) | Water Use *GPR | Water Use **GPH | Water Use ***GPSF |
|---------------------|--|-----------------------------|--|------------------------------------|-------------------------------------|----------------|-----------------|-------------------|
| Champion | EUCCW8 | Multiple Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 5.59 | | 134 | |
| Champion | EUCCW8 | Multiple Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 6.23 | | 58.56 | |
| Champion | UH200B, UH230B | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.36 | 0.8 | | |
| Champion Industries | UH330B | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.46 | 0.76 | | |
| Champion Industries | 64 | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.84 | 0.45 | | |
| Champion Industries | 100HDPW | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.84 | 0.45 | | |
| Champion Industries | 44DR | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.05 | 0.53 | | |
| Champion Industries | 66DRPW | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.05 | 0.53 | | |
| Champion Industries | 70DRFFPW | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.05 | 0.53 | | |
| Champion Industries | 86PW | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.84 | 0.45 | | |
| Champion Industries | 90FFPW | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.84 | 0.45 | | |
| Champion Industries | CH44 | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 0.96 | 0.59 | | |
| Champion Industries | CH66 | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 0.96 | 0.59 | | |
| Champion Industries | DH2000 | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.47 | 0.9 | | |
| Champion Industries | UH230B | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.36 | 0.8 | | |
| CMA Dishmachines | CMA 180VL-FL | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.5 | 0.82 | | |
| CMA Dishmachines | CMA-180 HTC | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.5 | 0.82 | | |
| CMA Dishmachines | CMA-180 HTC B | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.5 | 0.82 | | |
| CMA Dishmachines | CMA-180 HTS | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.5 | 0.82 | | |
| CMA Dishmachines | CMA-180 HTS B | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.5 | 0.82 | | |
| CMA Dishmachines | CMA-180 THTC | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.5 | 0.82 | | |
| CMA Dishmachines | CMA-180 THTC B | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.5 | 0.82 | | |
| CMA Dishmachines | CMA-180 THTS | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.5 | 0.82 | | |
| CMA Dishmachines | CMA-180 THTS B | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.5 | 0.82 | | |
| CMA Dishmachines | CMA-180-T-VL | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.5 | 0.82 | | |
| CMA Dishmachines | CMA-180UC | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.4 | 0.73 | | |
| CMA Dishmachines | CMA-180-VL | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.5 | 0.82 | | |
| CMA Dishmachines | CMA-181GW | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.4 | 0.73 | | |
| CMA Dishmachines | EST-44H | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.76 | 0.46 | | |
| CMA Dishmachines | EST-44L | Multiple Tank Rack Conveyor | Chemical Sanitizing (Low Temp) Machine | | | 0.46 | | |
| CMA Dishmachines | EST-66H | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.76 | 0.46 | | |
| CMA Dishmachines | EST-66L | Multiple Tank Rack Conveyor | Chemical Sanitizing (Low Temp) Machine | | | 0.46 | | |
| CMA Dishmachines | EST-AH-1 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.09 | | |
| CMA Dishmachines | EST-AH-2 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.09 | | |
| CMA Dishmachines | EST-AH-3 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.09 | | |
| CMA Dishmachines | EST-C-1 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.09 | | |
| CMA Dishmachines | EST-C-2 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.09 | | |
| CMA Dishmachines | EST-C-3 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.09 | | |
| CMA Dishmachines | EST-FL | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | 0 | | 1.09 | | |
| CMA Dishmachines | EST-VL | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | 0 | | 1.09 | | |
| CMA Dishmachines | UC50E | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.42 | 0.79 | | |
| CMA Dishmachines | UC60E | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.37 | 0.79 | | |
| CMA Dishmachines | UC65e | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.37 | 0.84 | | |
| Dihr | DS50 USA | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.42 | 0.79 | | |
| Dihr | ELECTRON 500 PLUS USA | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.37 | 0.79 | | |
| Ecolab | Apex TSC | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | 0.01 | | 1.05 | | |
| Ecolab | Apex TSC Double | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | 0.01 | | 1.11 | | |
| Ecolab | Apex-HT | Stationary Single Tank Door | Dual Sanitizing Machine | 0.27 | 0.53 | 0.81 | | |
| Ecolab | ES-2000 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | 0.01 | | 1.05 | | |
| Ecolab | ES-4000 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | 0.01 | | 1.11 | | |
| Ecolab | Kay QSR TSC | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | 0.01 | | 1.05 | | |
| Ecolab | LWC44AR208, LWC44AL208, LWC44AR240, LWC44AL240 | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 0.98 | 0.58 | | |
| Ecolab | LWC44AR208, LWC44AL208, LWC44AR240, LWC44AL240 | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 0.98 | 0.58 | | |
| Ecolab | LWC66AR208, LWC66AL208, LWC66AR240, LWC66AL240 | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.21 | 0.59 | | |
| Ecolab | LWC66AR208, LWC66AL208, LWC66AR240, LWC66AL240 | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.21 | 0.59 | | |
| Ecolab | Omega SE | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | 0.2 | | 1.16 | | |
| Ecolab | PA-1 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | 0.01 | | 1.05 | | |
| Ecolab | PA-2 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | 0.01 | | 1.11 | | |

| Brand Name | Model Number | Machine Type | Sanitation Method | Idle Energy Rate for Low Temp (kW) | Idle Energy Rate for High Temp (kW) | Water Use *GPR | Water Use **GPH | Water Use ***GPSF |
|------------------------------|------------------------|-----------------------------|--|------------------------------------|-------------------------------------|----------------|-----------------|-------------------|
| Ecolab | U-HT-1 | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.36 | 0.8 | | |
| Ecolab | XL-HT | Stationary Single Tank Door | Dual Sanitizing Machine | 0.27 | 0.53 | 0.81 | | |
| Electrolux | ECRT44R208, ECRT44L208 | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 0.99 | 0.41 | | |
| Electrolux | ECRT44R240, ECRT44L240 | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.07 | 0.42 | | |
| Electrolux | ECRT66R208, ECRT66L208 | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.08 | 0.45 | | |
| Electrolux | ECRT66R208, ECRT66L208 | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.08 | 0.45 | | |
| Electrolux | ECRT66R240, ECRT66L240 | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.34 | 0.44 | | |
| Electrolux | EHT8ILG4 | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.48 | 0.51 | | |
| Electrolux | EHT8ILG8 | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.39 | 0.54 | | |
| Electrolux | EHT8TIELG4, EHT8IELG4 | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.43 | 0.49 | | |
| Electrolux | EHT8TIELG4, EHT8IELG4 | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.43 | 0.49 | | |
| Electrolux | EHT8TIELG8, EHT8IELG8 | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.46 | 0.51 | | |
| Electrolux | EUC3IG4 | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.29 | 0.84 | | |
| Electrolux | WT830M208U, WT830H208U | Pot, Pan, and Utensil | Hot Water Sanitizing (High Temp) Machine | | 0.94 | | | 0.35 |
| Electrolux | WT830M208U, WT830H208U | Pot, Pan, and Utensil | Hot Water Sanitizing (High Temp) Machine | | 0.94 | | | 0.35 |
| Electrolux | WT850M208U | Pot, Pan, and Utensil | Hot Water Sanitizing (High Temp) Machine | | 1.07 | | | 0.32 |
| Electrolux | WT850M208U | Pot, Pan, and Utensil | Hot Water Sanitizing (High Temp) Machine | | 1.07 | | | 0.32 |
| Electrolux, Veetsan, Veetsan | EHT8ILG8, VDH63, | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.39 | 0.54 | | |
| Electrolux, Veetsan, Veetsan | EUC3IG8, VDU30, | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.28 | 0.82 | | |
| Energy Mizer | B-1 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 0.97 | | |
| Energy Mizer | B-2 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 0.97 | | |
| Energy Mizer | B-3 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 0.97 | | |
| Energy Mizer | CB-1 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 0.97 | | |
| Energy Mizer | CB-2 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 0.97 | | |
| Energy Mizer | CB-3 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 0.97 | | |
| Energy Mizer | EAH-1 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.01 | | |
| Energy Mizer | EAH-2 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.01 | | |
| Energy Mizer | EAH-3 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.01 | | |
| Energy Mizer | EC-1 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.01 | | |
| Energy Mizer | EC-2 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.01 | | |
| Energy Mizer | EC-3 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.01 | | |
| Genesis | DH5000 | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.57 | 0.84 | | |
| Genesis | DH5000T | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.67 | 0.85 | | |
| Genesis | DH5000T | Pot, Pan, and Utensil | Hot Water Sanitizing (High Temp) Machine | | 0.67 | | | 0.42 |
| Hobart | AM15 | Stationary Single Tank Door | Dual Sanitizing Machine | 0.28 | 0.55 | 0.73 | | |
| Hobart | AM15F | Stationary Single Tank Door | Dual Sanitizing Machine | 0.28 | 0.55 | 0.73 | | |
| Hobart | AM15T | Stationary Single Tank Door | Dual Sanitizing Machine | 0.28 | 0.55 | 0.73 | | |
| Hobart | AM15VL | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.54 | 0.73 | | |
| Hobart | AM15VLF | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.54 | 0.73 | | |
| Hobart | AM15VLT | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.54 | 0.73 | | |
| Hobart | CL44e | Single Tank Rack Conveyor | Dual Sanitizing Machine | 0.75 | 1.29 | 0.62 | | |
| Hobart | CL44eR | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.33 | 0.63 | | |
| Hobart | CL54e | Single Tank Rack Conveyor | Dual Sanitizing Machine | 0.75 | 1.29 | 0.56 | | |
| Hobart | CL54eR | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.33 | 0.63 | | |
| Hobart | CL64e | Multiple Tank Rack Conveyor | Dual Sanitizing Machine | 0.93 | 1.74 | 0.39 | | |
| Hobart | CL64eR | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.74 | 0.39 | | |
| Hobart | CLCS66eR | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.33 | 0.63 | | |
| Hobart | CLCS76eR | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.33 | 0.63 | | |
| Hobart | CLCS86e | Multiple Tank Rack Conveyor | Dual Sanitizing Machine | 0.93 | 1.74 | 0.39 | | |
| Hobart | CLCS86eR | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.74 | 0.39 | | |
| Hobart | CLPS66e | Single Tank Rack Conveyor | Dual Sanitizing Machine | 0.75 | 1.29 | 0.62 | | |
| Hobart | CLPS66eR | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.33 | 0.63 | | |
| Hobart | CLPS76e | Single Tank Rack Conveyor | Dual Sanitizing Machine | 0.75 | 1.29 | 0.56 | | |
| Hobart | CLPS76eR | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.33 | 0.63 | | |
| Hobart | CLPS86e | Multiple Tank Rack Conveyor | Dual Sanitizing Machine | 0.93 | 1.74 | 0.39 | | |
| Hobart | CLPS86eR | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.74 | 0.39 | | |
| Hobart | FT1000 | Multiple Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 3.76 | | 57.6 | |
| Hobart | FT1000ADV | Multiple Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 7.32 | | 57.6 | |

| Brand Name | Model Number | Machine Type | Sanitation Method | Idle Energy Rate for Low Temp (kW) | Idle Energy Rate for High Temp (kW) | Water Use *GPR | Water Use **GPH | Water Use ***GPSF |
|------------|--|-----------------------------|--|------------------------------------|-------------------------------------|----------------|-----------------|-------------------|
| Hobart | FT1000ER | Multiple Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 4.47 | | 72.6 | |
| Hobart | FT1000ER | Multiple Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 4.47 | | 57.6 | |
| Hobart | FT1000SER,FT1000S,no blower dryer, higher than standard | Single Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 3.74 | | 72.6 | |
| Hobart | FT1000SER,FT1000S,no blower dryer, std height | Single Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 3.74 | | 58.5 | |
| Hobart | FT1000SER,FT1000S,with blower dryer, higher than standard | Single Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 3.97 | | 72.6 | |
| Hobart | FT1000SER,FT1000S,with blower dryer, std height | Single Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 3.97 | | 58.5 | |
| Hobart | LXeC | Under Counter | Chemical Sanitizing (Low Temp) Machine | 0.1 | | 0.74 | | |
| Hobart | LXeH | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.14 | 0.74 | | |
| Hobart | LXePR | Under Counter | Chemical Sanitizing (Low Temp) Machine | 0.1 | | 1.14 | | |
| Hobart | LXeR | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.14 | 0.62 | | |
| Hobart | LXGePR | Under Counter - Glasswasher | Chemical Sanitizing (Low Temp) Machine | 0.09 | | 1.14 | | |
| Hobart | LXGeR | Under Counter - Glasswasher | Hot Water Sanitizing (High Temp) Machine | | 0.14 | 0.62 | | |
| Hobart | PW10 | Pot, Pan, and Utensil | Hot Water Sanitizing (High Temp) Machine | | 0.85 | | | 0.27 |
| Hobart | PW10ER | Pot, Pan, and Utensil | Hot Water Sanitizing (High Temp) Machine | | 0.85 | | | 0.27 |
| Hobart | PW20 | Pot, Pan, and Utensil | Hot Water Sanitizing (High Temp) Machine | | 1.16 | | | 0.27 |
| Hobart | PW20ER | Pot, Pan, and Utensil | Hot Water Sanitizing (High Temp) Machine | | 1.16 | | | 0.32 |
| Hobart | UW50 | Pot, Pan, and Utensil | Hot Water Sanitizing (High Temp) Machine | | 1.2 | | | 0.35 |
| Insinger | Commander 18-6 | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.52 | 0.87 | | |
| Insinger | Commander 18-6C | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.52 | 0.87 | | |
| Insinger | Commander 18-6H | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.52 | 0.87 | | |
| Insinger | Commander 18-6HC | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.52 | 0.87 | | |
| Jackson | 1 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.02 | | |
| Jackson | Avenger HT ES | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.15 | 0.73 | | |
| Jackson | Avenger LT,DishStar LT,Avenger UL1,DishStar UL1, | Under Counter | Chemical Sanitizing (Low Temp) Machine | 0.17 | | 1.16 | | |
| Jackson | Conservar XL-E | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | 0.23 | | 1.02 | | |
| Jackson | ConservarXL2, Conservar XL2-CML,Conservar XL2-CMR, | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | 0.01 | | 1.13 | | |
| Jackson | CREW 44, CREW 66, WareForce C44, CON44, CON66 | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.38 | 0.3 | | |
| Jackson | Delta 5, Delta 5E,GW5, Ware Force DG | Under Counter | Chemical Sanitizing (Low Temp) Machine | 0.2 | | 1.15 | | |
| Jackson | DISHSTAR LTH | Under Counter | Chemical Sanitizing (Low Temp) Machine | 0.41 | | 0.64 | | |
| Jackson | Dynatemp,Dynatemp N,WareForce HT-180DT,WareForce HT-180DTN | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.39 | 0.79 | | |
| Jackson | l | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.02 | | |
| Jackson | Rackstar 44,RackStar 66,WareForce RS44,WareForce RS66 | Single Tank Rack Conveyor | Dual Sanitizing Machine | 0.44 | 1.35 | 0.26 | | |
| Jackson | Tempstar HH LT | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | 0.22 | | 0.81 | | |
| Jackson | Tempstar,Tempstar -UHT,Ware Force HT-180 | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.41 | 0.88 | | |
| Jackson | Wareforce 1-E | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | 0.23 | | 1.02 | | |
| Jackson | XL | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.02 | | |
| Jet-Tech | 747 | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.25 | 0.66 | | |
| Jet-Tech | 777 | Pot, Pan, and Utensil | Hot Water Sanitizing (High Temp) Machine | | 0.79 | | | 0.3 |
| Jet-Tech | 787 | Pot, Pan, and Utensil | Hot Water Sanitizing (High Temp) Machine | | 1.19 | | | 0.32 |
| Jet-Tech | 737DP | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.32 | 0.84 | | |
| Jet-Tech | F-14 | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.32 | 0.84 | | |
| Jet-Tech | F-16DP | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.32 | 0.84 | | |
| Jet-Tech | F-18DP | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.32 | 0.84 | | |
| Jet-Tech | F-22 | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.25 | 0.66 | | |
| Kromo | DUPLA 50 USA | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.42 | 0.79 | | |
| Kromo | LUX60EL-PLUS USA | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.37 | 0.79 | | |
| Lamber SNC | DSP3 | Under Counter - Glasswasher | Hot Water Sanitizing (High Temp) Machine | | 0.16 | 0.55 | | |
| Lamber SNC | F92-ek | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.24 | 0.48 | | |
| Lamber SNC | L21-ek | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.58 | 0.55 | | |
| Lamber SNC | L25-ek (1 Phase) | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.41 | 0.67 | | |
| Lamber SNC | L25-ek (3 phase) | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.48 | 0.81 | | |
| Lamber SNC | Minibar | Under Counter - Glasswasher | Hot Water Sanitizing (High Temp) Machine | | 0.21 | 0.33 | | |
| Lamber SNC | S480-ek | Under Counter - Glasswasher | Hot Water Sanitizing (High Temp) Machine | | 0.16 | 0.55 | | |
| Meiko | BL74V6P8 | Multiple Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 7.09 | | 58.2 | |
| Meiko | BL74V8P8 | Multiple Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 7.09 | | 58.2 | |
| Meiko | BM74V6P8 | Multiple Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 4.76 | | 58.2 | |
| Meiko | BM74V8P8 | Multiple Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 4.76 | | 58.2 | |
| Meiko | BS74P8 | Multiple Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 4.76 | | 58.2 | |

| Brand Name | Model Number | Machine Type | Sanitation Method | Idle Energy Rate for Low Temp (kW) | Idle Energy Rate for High Temp (kW) | Water Use *GPR | Water Use **GPH | Water Use ***GPSF |
|--------------|---|-----------------------------|--|------------------------------------|-------------------------------------|----------------|-----------------|-------------------|
| Meiko | CS 70 | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.1 | | |
| Meiko | DV 270.2 | Pot, Pan, and Utensil | Hot Water Sanitizing (High Temp) Machine | | 0.88 | | | 0.27 |
| Meiko | DV 80.2 | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.27 | 0.81 | | |
| Meiko | FV 130.2 | Pot, Pan, and Utensil | Hot Water Sanitizing (High Temp) Machine | | 0.95 | | | 0.38 |
| Meiko | FV 250.2 | Pot, Pan, and Utensil | Hot Water Sanitizing (High Temp) Machine | | 0.79 | | | 0.27 |
| Meiko | FV 40.2 | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.21 | 0.77 | | |
| Meiko | FV 40.2G | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.21 | 0.77 | | |
| Meiko | K-44E | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.14 | 0.44 | | |
| Meiko | K-66E | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.14 | 0.44 | | |
| Meiko | K-80E | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.14 | 0.44 | | |
| Moyer Diebel | 351HT,383HT, | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.37 | 0.84 | | |
| Moyer Diebel | 601HR | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.46 | 0.76 | | |
| Moyer Diebel | MD2000 | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.47 | 0.9 | | |
| Moyer Diebel | MD2000L | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | | | 1.01 | | |
| Moyer Diebel | MD240HT | Under Counter - Glasswasher | Hot Water Sanitizing (High Temp) Machine | | 0.44 | 0.84 | | |
| Moyer Diebel | MD44,MD66 | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 0.96 | 0.59 | | |
| Moyer Diebel | MD66 | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 0.96 | 0.59 | | |
| Perlick | PKHT24 | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.4 | 0.73 | | |
| Stero | ER-44,ER-44-10,ER66S,ER76S,ER76SC,ER90S | Single Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.31 | 0.65 | | |
| Stero | ER-64,ER-86S,ER-94S | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.88 | 0.45 | | |
| Stero | ER-94SC | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine | | 1.88 | 0.45 | | |
| Stero | SD3 | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.55 | 0.85 | | |
| Stero | SD3 | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine | | 0.55 | 0.85 | | |
| Stero | STPCW-ER | Multiple Tank Flight-type | Hot Water Sanitizing (High Temp) Machine | | 5.4 | | 98 | |
| Stero | SUH | Under Counter | Hot Water Sanitizing (High Temp) Machine | | 0.14 | 0.78 | | |
| Stero | SUL | Under Counter | Chemical Sanitizing (Low Temp) Machine | 0.1 | | 0.88 | | |

Disclaimer of Endorsement: Reference herein to any specific commercial products, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government.