



2019 Water Conservation Rebate Program HIGH EFFICIENCY CLOTHES WASHER REBATE

High Efficiency (HE) Clothes Washer Rebate: \$100.00 for a new high efficiency clothes washer that is installed and replaces an inefficient model (New Construction not eligible).

Rebate is available for all customers having active accounts with the City of Wichita Public Works and Utilities for delivery of potable water.

Specifications

The High Efficiency (HE) clothes washer must have a Modified Energy Factor (MEF) of 2.20 or better, a Water Factor (WF) of 4.5 or less (CEE rated), AND be on the approved qualifying device(s) list on the web page: www.savewichitawater.com.

Instructions

- HE Clothes Washer must be purchased and installed between Jan. 1, 2019 and Dec. 31, 2019. Rebate is available on a first come, first served basis subject to availability of funds.
 - Mail the rebate application along with the required information to the address at the bottom of this page. You have 90 days after date of purchase in which to mail the application and required information for the rebate.
 - Original copies of required information must be provided to verify purchase and installation. *Failure to provide the required information will result in the rebate request being denied.*
 - Required information *must* accompany the application and this includes:
 1. Original invoice or sales receipt showing date and place of sale, date of installation, along with an itemized description of purchase and cost of item. Original installation receipts must be provided if installation is not completed by company of purchase. Carbon copies count as the originals. Online purchases, submit printout of final invoice and original packing or delivery slip. Photocopies will not be accepted.
 2. Original proof of purchase with complete barcode, if self installed.
 - An inspection may be required, and the HE clothes washer must be properly installed and functioning at the time of inspection.
 - There is a limit of 5 qualifying devices per active Water Utilities account, mixed or matched.
 - An old clothes washer must be properly disposed of in a manner that will prevent reuse of the appliance. Please recycle it if at all possible.
 - Rebate amount will not exceed the actual purchase price of HE clothes washer, and excludes taxes and costs of installation.
 - Rebates will be credited to applicant's Water Utility account.
-

Please mail or deliver the rebate application to:

**City of Wichita, Environmental Health
Attention: Water Conservation Rebate Program
1900 E 9th St, Wichita Ks 67214**

Please retain a copy of all materials submitted for your records. The City of Wichita is not responsible for materials lost by mail. If you have any questions please call 316-268-8351.

******Residential Clothes Washer Approved List comes after this page******

2019 CEE Qualifying Residential Clothes Washers
See the CEE website (www.cee1.org) for the most recent listing.

NOTES:

***IMEF: Integrated Modified Energy Factor**

must be 2.20 or better

****IWF: Integrated Water Factor**

must be 4.5 or less

| Brand | Model | *IMEF | **IWF | Uses Silver Ion Technology | Front or Top Loading | CEE Tier |
|--------------|----------------|--------------|--------------|-----------------------------------|-----------------------------|-----------------|
| Amana | NFW5700B*+ | 2.80 | 3.5 | No | - | 3 |
| Amana | NFW5800D** | 2.76 | 3.2 | No | Front | 1 |
| Amana | NFW5800D*+ | 2.75 | 3.2 | No | Front | 2 |
| Amana | NFW5800H** | 2.92 | 3.2 | No | Front | 2 |
| Amana | NFW7300W*+ | 2.39 | 4.0 | No | - | 2 |
| Amana | NFW7500V*+ | 2.22 | 4.2 | No | - | 2 |
| Amana | NFW7600X*+ | 2.35 | 4.1 | No | - | 2 |
| Amana | NTW4750B*+ | 2.40 | 4.0 | No | - | 3 |
| Amana | NTW4750Y*+ | 2.48 | 3.6 | No | - | 3 |
| Asko | W6022 | 2.30 | 3.4 | No | - | 2 |
| Asko | W6222 | 2.30 | 3.4 | No | - | 2 |
| Asko | W6324* | 2.60 | 3.3 | No | - | 3 |
| Asko | W6424* | 2.60 | 3.3 | No | - | 3 |
| Asko | W6863SS | 2.40 | 4.2 | No | - | 2 |
| Asko | W6863T | 2.40 | 4.2 | No | - | 2 |
| Asko | W6863W | 2.40 | 4.2 | No | - | 2 |
| Asko | W6884 ECO | 2.68 | 3.3 | No | - | 3 |
| Asko | W6903FI | 2.40 | 4.2 | No | - | 2 |
| Asko | W6903SS | 2.40 | 4.2 | No | - | 2 |
| Asko | W6903W | 2.40 | 4.2 | No | - | 2 |
| Asko | W6984* | 2.60 | 3.3 | No | - | 3 |
| Asko | WL6532XXL** | 2.76 | 3.4 | No | - | 3 |
| BEKO | WMY 10148 C0 | 2.29 | 3.6 | No | Front | 2 |
| BEKO | WMY 10148 W0 | 2.29 | 3.6 | No | Front | 2 |
| BEKO | WMY10148C2 | 2.29 | 3.6 | No | Front | 2 |
| BEKO | WTE 7604XLW0 | 2.09 | 3.5 | No | Front | 1 |
| Blomberg | WM 77110 NBL00 | 2.20 | 4.2 | No | - | 2 |
| Blomberg | WM 77110 NBL01 | 2.20 | 4.2 | No | - | 2 |
| Blomberg | WM 87120 NBL00 | 2.35 | 4.2 | No | - | 2 |
| BLOMBERG | WM 98200 SX | 2.29 | 3.6 | No | Front | 2 |
| BLOMBERG | WM 98400 SX | 2.29 | 3.6 | No | Front | 2 |
| BLOMBERG | WM77120 | 2.09 | 3.5 | No | Front | 1 |
| BLOMBERG | WM98200SX2 | 2.29 | 3.6 | No | Front | 2 |
| BLOMBERG | WM98400SX2 | 2.29 | 3.6 | No | Front | 2 |

| Brand | Model | *IMEF | **IWF | Uses Silver Ion Technology | Front or Top Loading | CEE Tier |
|-----------------|--------------|-------|-------|----------------------------|----------------------|----------|
| Bosch | WAP24200UC | 2.32 | 4.3 | No | - | 2 |
| Bosch | WAP24201UC | 2.32 | 4.3 | No | - | 2 |
| Bosch | WAP24202UC | 2.32 | 4.3 | No | - | 2 |
| Bosch | WAS24460UC | 2.22 | 4.5 | No | - | 2 |
| Bosch | WAT28400UC | 2.22 | 3.6 | No | Front | 2 |
| Bosch | WAT28401UC | 2.22 | 3.6 | No | Front | 2 |
| Bosch | WAT28402UC | 2.22 | 3.6 | No | Front | 2 |
| Bosch | WAW285H2UC | 2.22 | 3.7 | No | Front | 2 |
| Cabrio Platinum | WTW8200YW | 2.65 | 3.7 | No | - | 3 |
| Crosley | CAW12444B*+ | 2.48 | 3.6 | No | - | 3 |
| Crosley | CAW12444D*+ | 2.40 | 3.8 | No | - | 3 |
| Crosley | CAW12444X*+ | 2.48 | 3.6 | No | - | 3 |
| Crosley | CFW4700*** | 2.91 | 3.6 | No | - | 3 |
| Crosley | CFW4701** | 2.86 | 3.5 | No | - | 3 |
| Crosley | CFW7400** | 3.25 | 2.8 | No | - | 3 |
| Crosley | CFW7700*** | 3.09 | 3.3 | No | - | 3 |
| Crosley | CFWH4084G** | 2.92 | 3.2 | No | Front | 3 |
| Crosley | YFW450S*M*** | 2.76 | 3.2 | No | Front | 1 |
| Electrolux | EFLS210**** | 2.13 | 3.8 | No | Front | 1 |
| Electrolux | EFLS517**** | 2.76 | 3.2 | No | Front | 2 |
| Electrolux | EFLS527**** | 2.92 | 3.2 | No | Front | 2 |
| Electrolux | EFLS617**** | 2.92 | 3.2 | No | Front | 3 |
| Electrolux | EFLS627**** | 2.92 | 3.2 | No | Front | 2 |
| Electrolux | EFLW317**** | 2.38 | 3.7 | No | Front | 1 |
| Electrolux | EFLW417**** | 2.76 | 3.2 | No | Front | 2 |
| Electrolux | EFLW427**** | 2.92 | 3.2 | No | Front | 2 |
| Electrolux | EIFLS55I** | 3.10 | 2.7 | No | - | 3 |
| Electrolux | EIFLS60** | 3.33 | 2.8 | No | - | 3 |
| Electrolux | EIFLW50*** | 3.10 | 2.8 | No | - | 3 |
| Electrolux | EIFLW55H*** | 2.90 | 3.5 | No | - | 3 |
| Electrolux | EIFLW55I*** | 2.90 | 3.5 | No | - | 3 |
| Electrolux | EWFLS70** | 3.29 | 2.8 | No | - | 3 |
| Fisher & Paykel | WL37T26*W2 | 2.25 | 4.3 | No | - | 2 |
| Fisher & Paykel | WL4227** | 2.44 | 3.9 | No | - | 3 |
| Fisher & Paykel | WL42T26*** | 2.44 | 3.9 | No | - | 3 |
| Frigidaire | ATFB6000F | 2.29 | 4.4 | No | - | 2 |
| Frigidaire | FAFS4073** | 3.21 | 2.8 | No | - | 3 |
| Frigidaire | FAFS4174** | 3.21 | 2.7 | No | - | 3 |

| Brand | Model | *IMEF | **IWF | Uses Silver Ion Technology | Front or Top Loading | CEE Tier |
|------------|--------------|-------|-------|----------------------------|----------------------|----------|
| Frigidaire | FAFS4272L** | 3.09 | 3.3 | No | - | 3 |
| Frigidaire | FAFS4473L** | 2.96 | 3.2 | No | - | 3 |
| Frigidaire | FAFS4474L** | 3.21 | 2.9 | No | - | 3 |
| Frigidaire | FAFW3801L** | 3.00 | 3.3 | No | - | 3 |
| Frigidaire | FAFW3921** | 3.35 | 2.9 | No | - | 3 |
| Frigidaire | FAFW4011L** | 2.91 | 3.6 | No | - | 3 |
| Frigidaire | FAFW4221L** | 2.86 | 3.4 | No | - | 3 |
| Frigidaire | FFFS5115** | 3.21 | 2.8 | No | - | 3 |
| Frigidaire | FFFS5115*** | 2.44 | 3.0 | No | Front | 1 |
| Frigidaire | FFFW4000** | 3.00 | 3.30 | No | - | 3 |
| Frigidaire | FFFW5000** | 3.25 | 2.8 | No | - | 3 |
| Frigidaire | FFFW5000*** | 2.52 | 3.0 | No | Front | 1 |
| Frigidaire | FFFW5100** | 3.25 | 2.8 | No | - | 3 |
| Frigidaire | FFFW5100*** | 2.52 | 3.0 | No | Front | 1 |
| Frigidaire | FRFW3700L** | 2.64 | 3.2 | No | - | 3 |
| GE | GCWN4950D | 2.20 | 4.5 | No | - | 2 |
| GE | GFW148S*L*** | 2.07 | 4.2 | No | Front | 1 |
| GE | GFW148S*M*** | 2.07 | 4.2 | No | Front | 1 |
| GE | GFW400S*M*** | 2.76 | 3.2 | No | Front | 1 |
| GE | GFW430S*M*** | 2.76 | 3.2 | No | Front | 1 |
| GE | GFW450S*M*** | 2.76 | 3.2 | No | Front | 1 |
| GE | GFW490R*K*** | 2.76 | 2.8 | No | Front | 2 |
| GE | GFWH1200D*** | 2.41 | 4.0 | No | - | 3 |
| GE | GFWH1400D*** | 2.65 | 3.6 | No | - | 3 |
| GE | GFWH1405D*** | 2.65 | 3.6 | No | - | 3 |
| GE | GFWN1100D*** | 2.54 | 4.0 | No | - | 3 |
| GE | GFWN1200D*** | 2.54 | 4.0 | No | - | 3 |
| GE | GFWR2700H*** | 2.80 | 3.0 | No | Front | 2 |
| GE | GFWR2705H*** | 2.80 | 3.0 | No | Front | 2 |
| GE | GFWR4800F | 3.04 | 2.5 | No | - | 3 |
| GE | GFWR4800F*** | 2.92 | 2.8 | No | Front | 3 |
| GE | GFWR4805F | 3.04 | 2.5 | No | - | 3 |
| GE | GFWR4805F*** | 2.92 | 2.8 | No | Front | 3 |
| GE | GFWS1500D*** | 2.65 | 3.6 | No | - | 3 |
| GE | GFWS1505D*** | 2.65 | 3.6 | No | - | 3 |
| GE | GFWS2500F | 3.00 | 2.7 | No | - | 3 |
| GE | GFWS2600F | 3.00 | 2.7 | No | - | 3 |
| GE | GFWS2600F*** | 2.80 | 3.0 | No | Front | 2 |

| Brand | Model | *IMEF | **IWF | Uses Silver Ion Technology | Front or Top Loading | CEE Tier |
|--------------------------------|---------------|-------|-------|----------------------------|----------------------|----------|
| GE | GFWS2605F | 3.00 | 2.7 | No | - | 3 |
| GE | GFWS3700F | 3.04 | 2.5 | No | - | 3 |
| GE | GFWS3705F | 3.04 | 2.5 | No | - | 3 |
| GE | GHWN8350D*** | 2.87 | 3.7 | No | - | 3 |
| GE | GHWN8355D | 2.87 | 3.7 | No | - | 3 |
| GE | GHWS3600F | 3.04 | 2.5 | No | - | 3 |
| GE | GHWS3605F | 3.04 | 2.5 | No | - | 3 |
| GE | GHWS8350H*** | 2.70 | 3.5 | No | - | 3 |
| GE | GHWS8355H*** | 2.70 | 3.5 | No | - | 3 |
| GE | GLWN5550D | 2.20 | 4.5 | No | - | 2 |
| GE | GTWN4950D | 2.20 | 4.5 | No | - | 2 |
| GE | GTWN4950F | 2.20 | 4.5 | No | - | 2 |
| GE | GTWN5350D | 2.20 | 4.5 | No | - | 2 |
| GE | GTWN5550D | 2.20 | 4.5 | No | - | 2 |
| GE | GTWN5959D | 2.20 | 4.5 | No | - | 2 |
| GE | GTWN7450D | 2.78 | 3.7 | No | - | 3 |
| GE | GTWN7450H*** | 2.86 | 3.7 | No | - | 3 |
| GE | GTWN8150D | 2.87 | 3.7 | No | - | 3 |
| GE | GTWN8250D | 2.87 | 3.7 | No | - | 3 |
| GE | GTWS8350H*** | 2.70 | 3.5 | No | - | 3 |
| GE | GTWS8355H*** | 2.70 | 3.5 | No | - | 3 |
| GE | GTWS8450D | 2.60 | 3.7 | No | - | 3 |
| GE | GTWS8455D | 2.60 | 3.7 | No | - | 3 |
| GE | GTWS8650 | 2.72 | 3.5 | No | - | 3 |
| GE | GTWS8655 | 2.72 | 3.5 | No | - | 3 |
| GE | PFWS4600L*** | 2.69 | 3.9 | No | - | 3 |
| GE | PFWS4605L*** | 2.69 | 3.9 | No | - | 3 |
| GE | PTWN805#M#*** | 2.21 | 4.5 | No | - | 2 |
| GE | WCVH4800**** | 2.30 | 4.3 | No | - | 2 |
| GE | WCVH4800K*** | 2.22 | 4.1 | No | Front | 1 |
| GE | WCVH6800J*** | 2.20 | 4.2 | No | - | 2 |
| GE Appliances, a Haier Company | GFW400S*K*** | 2.38 | 3.4 | No | Front | 1 |
| GE Appliances, a Haier Company | GFW450S*K*** | 2.66 | 2.8 | No | Front | 1 |
| GE Appliances, a Haier Company | GFWH1200H*** | 2.48 | 2.9 | No | Front | 1 |
| GE Appliances, a Haier Company | GFWN1100H*** | 2.55 | 2.9 | No | Front | 1 |
| GE Appliances, a Haier Company | GFWN1300J*** | 2.61 | 3.4 | No | Front | 1 |
| GE Appliances, a Haier Company | GFWN1600J*** | 2.38 | 3.2 | No | Front | 1 |
| GE Appliances, a Haier Company | GFWS1600H*** | 2.65 | 2.6 | No | Front | 1 |

| Brand | Model | *IMEF | **IWF | Uses Silver Ion Technology | Front or Top Loading | CEE Tier |
|--------------------------------|--------------|-------|-------|----------------------------|----------------------|----------|
| GE Appliances, a Haier Company | GFWS1605H*** | 2.65 | 2.6 | No | Front | 1 |
| GE Appliances, a Haier Company | GFWS1700H*** | 2.65 | 2.6 | No | Front | 1 |
| GE Appliances, a Haier Company | GFWS1705H*** | 2.65 | 2.6 | No | Front | 1 |
| GE Appliances, a Haier Company | GTW810S*J*** | 2.76 | 3.5 | No | Top | 1 |
| GE Appliances, a Haier Company | GTW860S*J*** | 2.76 | 3.5 | No | Top | 1 |
| Haier | GWT560BW | 2.40 | 4.0 | No | - | 3 |
| Huebsch | YFNE5BJP113+ | 2.38 | 3.7 | No | Front | 1 |
| Huebsch | YFNE5RSP113+ | 2.38 | 3.7 | No | Front | 1 |
| Huebsch | YTEE5ASP173+ | 2.38 | 3.7 | No | Front | 1 |
| Huebsch | YTEE5ASP283+ | 2.38 | 3.7 | No | Front | 1 |
| Huebsch | YTGE5ASP093+ | 2.38 | 3.7 | No | Front | 1 |
| Huebsch | YTGE5ASP113+ | 2.38 | 3.7 | No | Front | 1 |
| Huebsch | ZFNE9BSP113+ | 2.38 | 3.7 | No | Front | 1 |
| Inglis | IFW5900H** | 2.92 | 3.2 | No | Front | 2 |
| Inglis | IFW7300W*+ | 2.39 | 4.0 | No | - | 2 |
| Inglis | ITW4971D*+ | 2.40 | 4.0 | No | - | 3 |
| IPSO | BFNE6BJP113+ | 2.38 | 3.7 | No | Front | 1 |
| IPSO | BTEE6ASP173+ | 2.38 | 3.7 | No | Front | 1 |
| IPSO | BTEE6ASP283+ | 2.38 | 3.7 | No | Front | 1 |
| IPSO | BTGE6ASP093+ | 2.38 | 3.7 | No | Front | 1 |
| IPSO | BTGE6ASP113+ | 2.38 | 3.7 | No | Front | 1 |
| Kenmore | 2130*10+ | 2.48 | 3.6 | No | - | 3 |
| Kenmore | 2139*10+ | 2.48 | 3.6 | No | - | 3 |
| Kenmore | 2149*31+ | 2.40 | 4.0 | No | - | 3 |
| Kenmore | 2510*10+ | 2.40 | 4.0 | No | - | 3 |
| Kenmore | 2600*10+ | 2.45 | 3.6 | No | - | 3 |
| Kenmore | 2601*10+ | 2.45 | 3.6 | No | - | 3 |
| Kenmore | 2611*31+ | 2.40 | 4.0 | No | - | 3 |
| Kenmore | 2710*10+ | 2.40 | 4.0 | No | - | 3 |
| Kenmore | 2800*10+ | 2.45 | 3.6 | No | - | 3 |
| Kenmore | 2801*10+ | 2.45 | 3.6 | No | - | 3 |
| Kenmore | 2806*80+ | 2.23 | 4.4 | No | - | 2 |
| Kenmore | 2807*80+ | 2.23 | 4.4 | No | - | 2 |
| Kenmore | 2808*80+ | 2.26 | 4.5 | No | - | 2 |
| Kenmore | 2808170*+ | 2.26 | 4.5 | No | - | 2 |
| Kenmore | 2808770*+ | 2.26 | 4.5 | No | - | 2 |
| Kenmore | 2809*80+ | 2.26 | 4.5 | No | - | 2 |
| Kenmore | 2809170*+ | 2.26 | 4.5 | No | - | 2 |

| Brand | Model | *IMEF | **IWF | Uses Silver Ion Technology | Front or Top Loading | CEE Tier |
|---------|--------------|-------|-------|----------------------------|----------------------|----------|
| Kenmore | 2809770*+ | 2.26 | 4.5 | No | - | 2 |
| Kenmore | 2810*10+ | 2.50 | 3.8 | No | - | 3 |
| Kenmore | 2947#00# | 2.41 | 4.0 | No | - | 3 |
| Kenmore | 3140#31# | 3.02 | 3.5 | No | - | 3 |
| Kenmore | 3141#31# | 3.00 | 3.5 | No | - | 3 |
| Kenmore | 3142# | 2.76 | 3.5 | No | Top | 1 |
| Kenmore | 3142#31# | 3.00 | 3.5 | No | - | 3 |
| Kenmore | 3143# | 2.38 | 3.7 | No | Top | 1 |
| Kenmore | 3146# | 2.38 | 3.7 | No | Top | 1 |
| Kenmore | 3151#21# | 2.75 | 3.7 | No | - | 3 |
| Kenmore | 3151#31# | 2.75 | 3.68 | No | - | 3 |
| Kenmore | 3152#21# | 2.75 | 3.7 | No | - | 3 |
| Kenmore | 3155# | 2.38 | 3.7 | No | Top | 1 |
| Kenmore | 3162#31# | 3.02 | 3.5 | No | - | 3 |
| Kenmore | 4002#90# | 2.60 | 3.6 | No | - | 3 |
| Kenmore | 4012#90# | 2.21 | 3.2 | No | - | 2 |
| Kenmore | 4013#90# | 2.21 | 3.2 | No | - | 2 |
| Kenmore | 4014#90# | 2.60 | 3.6 | No | - | 3 |
| Kenmore | 402.4903*01* | 2.50 | 3.3 | No | - | 3 |
| Kenmore | 4027#90# | 2.75 | 3.6 | No | - | 3 |
| Kenmore | 4031#90# | 2.88 | 3.4 | No | - | 3 |
| Kenmore | 4044#90# | 2.88 | 3.4 | No | - | 3 |
| Kenmore | 4100# | 2.76 | 3.2 | No | Front | 2 |
| Kenmore | 4107# | 2.92 | 3.2 | No | Front | 3 |
| Kenmore | 4107#### | 2.74 | 2.9 | No | Front | 2 |
| Kenmore | 4107#21# | 3.45 | 3.0 | No | - | 3 |
| Kenmore | 4107#31# | 3.45 | 3.0 | No | - | 3 |
| Kenmore | 4108#21# | 3.45 | 3.0 | No | - | 3 |
| Kenmore | 4108#31# | 3.45 | 3.0 | No | - | 3 |
| Kenmore | 4116# | 2.85 | 2.9 | No | Front | 2 |
| Kenmore | 4116#### | 2.85 | 2.9 | No | Front | 2 |
| Kenmore | 4117#21# | 3.00 | 3.3 | No | - | 3 |
| Kenmore | 4118#31# | 3.20 | 3.0 | No | - | 3 |
| Kenmore | 4126# | 2.92 | 3.2 | No | Front | 3 |
| Kenmore | 4127#21# | 3.00 | 3.3 | No | - | 3 |
| Kenmore | 4128#31# | 3.20 | 3.0 | No | - | 3 |
| Kenmore | 4130# | 2.92 | 3.2 | No | Front | 3 |
| Kenmore | 4137#21# | 3.05 | 3.3 | No | - | 3 |

| Brand | Model | *IMEF | **IWF | Uses Silver Ion Technology | Front or Top Loading | CEE Tier |
|---------|--------------|-------|-------|----------------------------|----------------------|----------|
| Kenmore | 4138# | 2.76 | 3.2 | No | Front | 2 |
| Kenmore | 4138#41# | 3.20 | 3.0 | No | - | 3 |
| Kenmore | 4139# | 2.92 | 3.2 | No | Front | 3 |
| Kenmore | 4147#21# | 3.20 | 3.3 | No | - | 3 |
| Kenmore | 4148# | 2.83 | 3.2 | No | Front | 2 |
| Kenmore | 4148#### | 3.02 | 2.9 | No | - | 3 |
| Kenmore | 4153#21# | 3.40 | 2.9 | No | - | 3 |
| Kenmore | 4154#21# | 3.40 | 2.8 | No | - | 3 |
| Kenmore | 4157#21# | 3.30 | 3.0 | No | - | 3 |
| Kenmore | 4158# | 2.92 | 3.2 | No | Front | 3 |
| Kenmore | 4158#### | 2.83 | 2.9 | No | Front | 2 |
| Kenmore | 4167#21# | 3.30 | 3.0 | No | - | 3 |
| Kenmore | 4168# | 2.92 | 3.2 | No | Front | 3 |
| Kenmore | 417.4110* | 2.80 | 3.2 | No | - | 3 |
| Kenmore | 417.4112** | 3.35 | 2.9 | No | - | 3 |
| Kenmore | 417.4112*41 | 3.25 | 2.8 | No | - | 3 |
| Kenmore | 417.4112*41* | 2.52 | 3.0 | No | Front | 1 |
| Kenmore | 417.4194*71* | 2.13 | 3.8 | No | Front | 1 |
| Kenmore | 417.4413* | 2.80 | 3.2 | No | - | 3 |
| Kenmore | 4178# | 2.76 | 3.2 | No | Front | 2 |
| Kenmore | 4196# | 2.92 | 3.2 | No | Front | 3 |
| Kenmore | 4198# | 2.76 | 3.2 | No | Front | 2 |
| Kenmore | 4198#### | 2.74 | 2.9 | No | Front | 2 |
| Kenmore | 4674*70+ | 2.28 | 3.8 | No | - | 2 |
| Kenmore | 4674*80+ | 2.28 | 3.8 | No | - | 2 |
| Kenmore | 4675*70+ | 2.28 | 3.8 | No | - | 2 |
| Kenmore | 4675*80+ | 2.28 | 3.8 | No | - | 2 |
| Kenmore | 4708*60+ | 2.36 | 4.0 | No | - | 2 |
| Kenmore | 4709*60+ | 2.36 | 4.0 | No | - | 2 |
| Kenmore | 4751*60+ | 2.58 | 4.0 | No | - | 3 |
| Kenmore | 4751*70+ | 2.58 | 4.0 | No | - | 3 |
| Kenmore | 4753*60+ | 2.58 | 4.0 | No | - | 3 |
| Kenmore | 4754*60+ | 2.58 | 4.0 | No | - | 3 |
| Kenmore | 4756*70+ | 2.60 | 3.7 | No | - | 3 |
| Kenmore | 4757*70+ | 2.60 | 3.7 | No | - | 3 |
| Kenmore | 4758*70+ | 2.60 | 3.7 | No | - | 3 |
| Kenmore | 4770*80+ | 2.64 | 3.4 | No | - | 3 |
| Kenmore | 4771*80+ | 2.64 | 3.4 | No | - | 3 |

| Brand | Model | *IMEF | **IWF | Uses Silver Ion Technology | Front or Top Loading | CEE Tier |
|---------|-----------|-------|-------|----------------------------|----------------------|----------|
| Kenmore | 4775*80+ | 2.64 | 3.4 | No | - | 3 |
| Kenmore | 4776*80+ | 2.64 | 3.4 | No | - | 3 |
| Kenmore | 4778*80+ | 2.64 | 3.4 | No | - | 3 |
| Kenmore | 4779*80+ | 2.64 | 3.4 | No | - | 3 |
| Kenmore | 4785*60+ | 2.22 | 4.2 | No | - | 2 |
| Kenmore | 4785*70+ | 2.22 | 4.2 | No | - | 2 |
| Kenmore | 4788*60+ | 2.22 | 4.2 | No | - | 2 |
| Kenmore | 4788*70+ | 2.22 | 4.2 | No | - | 2 |
| Kenmore | 4789*60+ | 2.22 | 4.2 | No | - | 2 |
| Kenmore | 4789*70+ | 2.22 | 4.2 | No | - | 2 |
| Kenmore | 488**80* | 2.24 | 3.4 | No | - | 2 |
| Kenmore | 4903*01* | 2.69 | 3.3 | No | - | 3 |
| Kenmore | 4996*60+ | 2.22 | 4.2 | No | - | 2 |
| Kenmore | 4997*60+ | 2.22 | 4.2 | No | - | 2 |
| Kenmore | 592-2921* | 2.45 | 3.6 | No | - | 3 |
| Kenmore | 592-2922* | 2.45 | 3.6 | No | - | 3 |
| Kenmore | 592-2923* | 2.70 | 3.7 | No | - | 3 |
| Kenmore | 592-4903* | 2.50 | 3.3 | No | - | 3 |
| Kenmore | 592-4904* | 2.41 | 3.6 | No | - | 3 |
| Kenmore | 592-49042 | 2.43 | 3.5 | No | - | 3 |
| Kenmore | 592-4905* | 2.45 | 3.5 | No | - | 3 |
| Kenmore | 592-4906* | 2.46 | 3.3 | Yes | - | 3 |
| Kenmore | 592-4907* | 2.46 | 3.3 | No | - | 3 |
| Kenmore | 592-4908* | 2.46 | 3.3 | No | - | 3 |
| Kenmore | 592-4912* | 2.46 | 3.3 | No | - | 3 |
| Kenmore | 592-4914* | 2.46 | 3.3 | No | - | 3 |
| Kenmore | 592-4915* | 2.46 | 3.3 | No | - | 3 |
| Kenmore | 592-4918* | 2.46 | 3.3 | No | - | 3 |
| Kenmore | 592-4919* | 2.58 | 3.4 | No | - | 3 |
| Kenmore | 592-4931* | 3.14 | 3.0 | No | - | 3 |
| Kenmore | 592-49322 | 3.14 | 3.0 | No | - | 3 |
| Kenmore | 592-49327 | 3.14 | 3.0 | No | - | 3 |
| Kenmore | 592-4933* | 3.35 | 2.9 | No | - | 3 |
| Kenmore | 592-4934* | 3.35 | 2.9 | No | - | 3 |
| Kenmore | 592-4935* | 3.35 | 2.9 | No | - | 3 |
| Kenmore | 592-4936* | 3.32 | 2.9 | No | - | 3 |
| Kenmore | 592-4937* | 3.32 | 2.9 | No | - | 3 |
| Kenmore | 592-4938* | 3.32 | 2.9 | No | - | 3 |

| Brand | Model | *IMEF | **IWF | Uses Silver Ion Technology | Front or Top Loading | CEE Tier |
|---------------|------------|-------|-------|----------------------------|----------------------|----------|
| Kenmore | 592-4939* | 3.42 | 2.7 | No | - | 3 |
| Kenmore | 592-4941* | 3.14 | 3.3 | No | - | 3 |
| Kenmore | 592-4942* | 3.14 | 3.3 | No | - | 3 |
| Kenmore | 592-4944* | 3.20 | 3.0 | No | - | 3 |
| Kenmore | 592-4945* | 3.20 | 3.0 | No | - | 3 |
| Kenmore | 592-4946* | 3.32 | 2.9 | No | - | 3 |
| Kenmore | 592-4947* | 3.32 | 2.9 | No | - | 3 |
| Kenmore | 592-4948* | 3.32 | 2.9 | No | - | 3 |
| Kenmore | 592-4949* | 3.42 | 2.7 | No | - | 3 |
| Kenmore | 970L4842** | 3.25 | 2.80 | No | - | 3 |
| Kenmore | 970L4845** | 3.25 | 2.80 | No | - | 3 |
| Kenmore Elite | 2900#00# | 2.41 | 4.0 | No | - | 3 |
| Kenmore Elite | 2927#00# | 2.41 | 4.0 | No | - | 3 |
| Kenmore Elite | 4051#90# | 2.85 | 3.4 | No | - | 3 |
| Kenmore Elite | 4102#90# | 2.90 | 3.4 | No | - | 3 |
| Kenmore Elite | 4172#00# | 2.99 | 3.4 | No | - | 3 |
| Kenmore Elite | 4219#90# | 2.90 | 3.4 | No | - | 3 |
| Kenmore Elite | 592-4900* | 2.58 | 3.3 | No | - | 3 |
| LG | LSWF388H** | 2.99 | 3.4 | No | - | 3 |
| LG | TCW2013** | 2.40 | 4.0 | No | - | 3 |
| LG | WM0001H*** | 2.65 | 3.4 | No | - | 3 |
| LG | WM064#H* | 2.42 | 3.5 | No | - | 3 |
| LG | WM0742H** | 2.61 | 3.4 | No | - | 3 |
| LG | WM1355H* | 2.40 | 4.4 | No | - | 2 |
| LG | WM1377H* | 2.40 | 4.5 | No | - | 2 |
| LG | WM1385H* | 2.07 | 4.2 | No | Front | 1 |
| LG | WM1388H* | 2.07 | 4.2 | No | Front | 1 |
| LG | WM1399H*A | 2.07 | 4.2 | No | Front | 1 |
| LG | WM2000C* | 2.21 | 3.2 | No | - | 2 |
| LG | WM2010C* | 2.21 | 3.2 | No | - | 2 |
| LG | WM2016C* | 2.20 | 3.9 | No | - | 2 |
| LG | WM2020C* | 2.52 | 3.7 | No | - | 3 |
| LG | WM204#C** | 2.47 | 3.7 | No | - | 3 |
| LG | WM2050C* | 2.77 | 3.4 | No | - | 3 |
| LG | WM207#C* | 2.35 | 3.8 | No | - | 2 |
| LG | WM2101H* | 2.21 | 3.8 | No | - | 2 |
| LG | WM2140C** | 2.99 | 3.5 | No | - | 3 |
| LG | WM2150H** | 2.77 | 3.4 | No | - | 3 |

| Brand | Model | *IMEF | **IWF | Uses Silver Ion Technology | Front or Top Loading | CEE Tier |
|-------|------------|-------|-------|----------------------------|----------------------|----------|
| LG | WM2233H* | 2.33 | 3.3 | No | - | 2 |
| LG | WM2240C* | 2.74 | 3.7 | No | - | 3 |
| LG | WM2250C** | 3.00 | 3.3 | No | - | 3 |
| LG | WM2255C* | 3.00 | 3.3 | No | - | 3 |
| LG | WM2277H* | 2.42 | 3.6 | No | - | 3 |
| LG | WM2301H* | 2.89 | 3.4 | No | - | 3 |
| LG | WM2350H** | 2.80 | 3.4 | No | - | 3 |
| LG | WM2355C* | 2.38 | 3.2 | No | - | 2 |
| LG | WM244#H* | 2.38 | 3.8 | No | - | 2 |
| LG | WM2450H** | 3.00 | 3.5 | No | - | 3 |
| LG | WM2455H* | 2.44 | 3.4 | No | - | 3 |
| LG | WM248#H*** | 2.65 | 3.6 | No | - | 3 |
| LG | WM249#H** | 2.38 | 3.3 | No | - | 2 |
| LG | WM2501H** | 2.87 | 3.4 | No | - | 3 |
| LG | WM2550H*** | 3.00 | 3.5 | No | - | 3 |
| LG | WM2601H* | 2.57 | 3.4 | No | - | 3 |
| LG | WM2650H** | 3.00 | 3.3 | No | - | 3 |
| LG | WM2655H** | 3.00 | 3.3 | No | - | 3 |
| LG | WM2677H* | 2.34 | 3.6 | No | - | 2 |
| LG | WM268#H*** | 2.65 | 3.3 | No | - | 3 |
| LG | WM2701H* | 2.57 | 3.4 | No | - | 3 |
| LG | WM2801H*** | 2.70 | 3.4 | No | - | 3 |
| LG | WM2901H*** | 2.87 | 3.4 | No | - | 3 |
| LG | WM3001H*** | 2.71 | 3.4 | No | - | 3 |
| LG | WM3050C* | 2.67 | 3.3 | No | Front | 1 |
| LG | WM3055C* | 3.20 | 3.0 | No | - | 3 |
| LG | WM3070H*** | 3.05 | 3.3 | No | - | 3 |
| LG | WM3075C* | 2.85 | 2.9 | No | Front | 2 |
| LG | WM3080C* | 2.92 | 3.2 | No | Front | 3 |
| LG | WM3085C* | 2.92 | 3.2 | No | Front | 3 |
| LG | WM3090C* | 2.92 | 2.9 | No | Front | 2 |
| LG | WM3095C* | 2.92 | 2.9 | No | Front | 2 |
| LG | WM3150H** | 3.40 | 2.9 | No | - | 3 |
| LG | WM3170C* | 2.85 | 2.9 | No | Front | 2 |
| LG | WM3175C* | 2.85 | 2.9 | No | Front | 2 |
| LG | WM3180C* | 2.92 | 3.2 | No | Front | 3 |
| LG | WM3250H*A | 3.20 | 3.0 | No | - | 3 |
| LG | WM3270C* | 2.92 | 3.2 | No | Front | 3 |

| Brand | Model | *IMEF | **IWF | Uses Silver Ion Technology | Front or Top Loading | CEE Tier |
|-------|------------|-------|-------|----------------------------|----------------------|----------|
| LG | WM3275C* | 2.92 | 3.2 | No | Front | 3 |
| LG | WM3360H*** | 3.14 | 3.3 | No | - | 3 |
| LG | WM3370H*A | 2.76 | 3.2 | No | Front | 2 |
| LG | WM3470H** | 3.20 | 3.3 | No | - | 3 |
| LG | WM3475H*A | 2.70 | 2.9 | No | Front | 1 |
| LG | WM3500C* | 2.92 | 2.9 | No | Front | 2 |
| LG | WM3505C* | 2.92 | 2.9 | No | Front | 2 |
| LG | WM3550H*** | 3.40 | 2.8 | No | - | 3 |
| LG | WM3570H*A | 2.76 | 3.2 | No | Front | 2 |
| LG | WM3575C* | 2.92 | 3.2 | No | Front | 3 |
| LG | WM3650H** | 2.38 | 3.7 | No | Front | 1 |
| LG | WM3670H*A | 2.92 | 3.2 | No | Front | 3 |
| LG | WM3700H*A | 2.92 | 2.9 | No | Front | 2 |
| LG | WM3770H*A | 2.92 | 3.2 | No | Front | 3 |
| LG | WM3875H*** | 2.99 | 3.4 | No | - | 3 |
| LG | WM3885H*** | 2.99 | 3.4 | No | - | 3 |
| LG | WM3900H*A | 2.92 | 2.9 | No | Front | 2 |
| LG | WM398#H*** | 2.54 | 3.4 | No | - | 3 |
| LG | WM3987H** | 2.76 | 3.5 | No | - | 3 |
| LG | WM3997H** | 2.40 | 3.7 | No | Front | 1 |
| LG | WM3997H**A | 3.00 | 3.2 | No | - | 3 |
| LG | WM4070H** | 3.30 | 3.0 | No | - | 3 |
| LG | WM4270H*A | 2.83 | 2.9 | No | Front | 2 |
| LG | WM4370H*A | 2.92 | 3.2 | No | Front | 3 |
| LG | WM5000H*A | 2.74 | 3.2 | No | Front | 2 |
| LG | WM5005H*A | 2.92 | 3.2 | No | Front | 3 |
| LG | WM8000H** | 2.74 | 2.9 | No | Front | 2 |
| LG | WM8100H*A | 2.92 | 3.2 | No | Front | 3 |
| LG | WM8500H** | 2.74 | 2.9 | No | Front | 2 |
| LG | WM9000H*A | 2.92 | 3.2 | No | Front | 3 |
| LG | WM9500H*A | 2.92 | 3.2 | No | Front | 3 |
| LG | WT1001C* | 2.60 | 3.7 | No | - | 3 |
| LG | WT1101C* | 2.56 | 3.8 | No | - | 3 |
| LG | WT1150C* | 2.38 | 3.7 | No | Top | 1 |
| LG | WT1201C* | 2.57 | 3.8 | No | - | 3 |
| LG | WT1301C* | 2.38 | 3.7 | No | Top | 1 |
| LG | WT1501C* | 2.38 | 3.7 | No | Top | 1 |
| LG | WT1701C* | 2.76 | 3.5 | No | Top | 1 |

| Brand | Model | *IMEF | **IWF | Uses Silver Ion Technology | Front or Top Loading | CEE Tier |
|--------|------------|-------|-------|----------------------------|----------------------|----------|
| LG | WT1801H*A | 2.38 | 3.7 | No | Top | 1 |
| LG | WT1901C* | 2.38 | 3.7 | No | Top | 1 |
| LG | WT4801C* | 2.41 | 3.9 | No | - | 3 |
| LG | WT4870C* | 2.58 | 3.8 | No | - | 3 |
| LG | WT4901C* | 2.75 | 3.7 | No | - | 3 |
| LG | WT4970C* | 2.75 | 3.7 | No | - | 3 |
| LG | WT5001C* | 2.41 | 4.0 | No | - | 3 |
| LG | WT5070C* | 2.75 | 3.7 | No | - | 3 |
| LG | WT5075C* | 2.75 | 3.7 | No | - | 3 |
| LG | WT5101H* | 2.41 | 4.0 | No | - | 3 |
| LG | WT5170H* | 2.75 | 3.7 | No | - | 3 |
| LG | WT5270C* | 2.76 | 3.5 | No | Top | 1 |
| LG | WT5275C* | 2.38 | 3.7 | No | Top | 1 |
| LG | WT5480C* | 2.76 | 3.5 | No | Top | 1 |
| LG | WT5680H*A | 2.38 | 3.7 | No | Top | 1 |
| LG | WT6001H* | 2.75 | 3.7 | No | - | 3 |
| LG | WT6001H*A | 2.75 | 3.7 | No | - | 3 |
| LG | WT7200C* | 2.38 | 3.7 | No | Top | 1 |
| LG | WT7250C* | 2.76 | 3.2 | No | Top | 1 |
| LG | WT7300C* | 2.76 | 3.2 | No | Top | 1 |
| LG | WT7500C* | 2.38 | 3.7 | No | Top | 1 |
| LG | WT7600H*A | 2.38 | 3.7 | No | Top | 1 |
| LG | WT7700H*A | 2.76 | 3.2 | No | Top | 2 |
| LG | WT7710H*A | 2.76 | 3.2 | No | Top | 2 |
| LG | WT7900H*A | 2.76 | 3.2 | No | Top | 1 |
| LG | WT9000H*A | 2.76 | 3.2 | No | Top | 2 |
| Maytag | MHW3000B*+ | 2.80 | 3.5 | No | - | 3 |
| Maytag | MHW3100D*+ | 2.38 | 3.7 | No | Front | 1 |
| Maytag | MHW3500B*+ | 2.80 | 3.5 | No | - | 3 |
| Maytag | MHW3500F** | 2.92 | 3.2 | No | Front | 3 |
| Maytag | MHW3505F** | 2.92 | 3.2 | No | Front | 3 |
| Maytag | MHW4000B*+ | 2.80 | 3.5 | No | - | 3 |
| Maytag | MHW4100D*+ | 2.38 | 3.7 | No | Front | 1 |
| Maytag | MHW4200B*+ | 2.80 | 3.5 | No | - | 3 |
| Maytag | MHW4300D*+ | 2.38 | 3.7 | No | Front | 1 |
| Maytag | MHW5100D*+ | 2.75 | 3.2 | No | Front | 2 |
| Maytag | MHW5400D*+ | 2.38 | 3.7 | No | Front | 1 |
| Maytag | MHW5500F** | 2.92 | 3.2 | No | Front | 3 |

| Brand | Model | *IMEF | **IWF | Uses Silver Ion Technology | Front or Top Loading | CEE Tier |
|--------|-------------|-------|-------|----------------------------|----------------------|----------|
| Maytag | MHW5630H** | 2.92 | 3.2 | No | Front | 2 |
| Maytag | MHW5800D*+ | 3.20 | 3.0 | No | - | 3 |
| Maytag | MHW6000A*+ | 3.20 | 2.7 | No | - | 3 |
| Maytag | MHW6000X*+ | 3.00 | 2.7 | No | - | 3 |
| Maytag | MHW6630H** | 2.92 | 3.2 | No | Front | 2 |
| Maytag | MHW7000A*+ | 3.20 | 2.7 | No | - | 3 |
| Maytag | MHW7000X*+ | 3.00 | 2.8 | No | - | 3 |
| Maytag | MHW7100D*+ | 2.75 | 3.2 | No | Front | 2 |
| Maytag | MHW8000A*+ | 3.20 | 2.7 | No | - | 3 |
| Maytag | MHW8100D* | 3.20 | 3.0 | No | - | 3 |
| Maytag | MHW8100D*+ | 2.75 | 3.2 | No | Front | 2 |
| Maytag | MHW8150E** | 2.75 | 3.2 | No | Front | 2 |
| Maytag | MHW8200F** | 2.92 | 3.2 | No | Front | 3 |
| Maytag | MHW8630H** | 2.92 | 3.2 | No | Front | 2 |
| Maytag | MHW9000Y*+ | 3.00 | 2.7 | No | - | 3 |
| Maytag | MHWE200X*+ | 2.35 | 3.8 | No | - | 2 |
| Maytag | MHWE201Y*+ | 2.46 | 3.7 | No | - | 3 |
| Maytag | MHWE250X*+ | 2.35 | 3.8 | No | - | 2 |
| Maytag | MHWE251Y*+ | 2.46 | 3.7 | No | - | 3 |
| Maytag | MHWE301Y*+ | 2.46 | 3.7 | No | - | 3 |
| Maytag | MHWE400W*+ | 2.66 | 3.0 | No | - | 3 |
| Maytag | MHWE450W*+ | 2.66 | 3.0 | No | - | 3 |
| Maytag | MHWE500V*+ | 2.35 | 3.8 | No | - | 2 |
| Maytag | MHWE550W#** | 2.66 | 3.6 | No | - | 3 |
| Maytag | MHWE900V*+ | 2.58 | 3.5 | No | - | 3 |
| Maytag | MHWE950W*+ | 2.46 | 2.9 | No | - | 3 |
| Maytag | MHWZ400T*+ | 2.45 | 3.8 | No | - | 3 |
| Maytag | MHWZ600T*+ | 2.45 | 3.8 | No | - | 3 |
| Maytag | MHWZ600W*+ | 2.45 | 3.8 | No | - | 3 |
| Maytag | MVWB300W*+ | 2.28 | 4.4 | No | - | 2 |
| Maytag | MVWB400V*+ | 2.23 | 4.4 | No | - | 2 |
| Maytag | MVWB450W*+ | 2.22 | 4.4 | No | - | 2 |
| Maytag | MVWB455Y*+ | 2.61 | 3.2 | No | - | 3 |
| Maytag | MVWB700B*+ | 2.50 | 3.8 | No | - | 3 |
| Maytag | MVWB700V*+ | 2.23 | 4.4 | No | - | 2 |
| Maytag | MVWB725B*+ | 2.50 | 3.8 | No | - | 3 |
| Maytag | MVWB750W*+ | 2.22 | 4.4 | No | - | 2 |
| Maytag | MVWB750Y*+ | 2.57 | 3.9 | No | - | 3 |

| Brand | Model | *IMEF | **IWF | Uses Silver Ion Technology | Front or Top Loading | CEE Tier |
|---------|--------------|-------|-------|----------------------------|----------------------|----------|
| Maytag | MVWB755Y*+ | 2.61 | 3.2 | No | - | 3 |
| Maytag | MVWB800V*+ | 2.25 | 4.5 | No | - | 2 |
| Maytag | MVWB800Y*+ | 2.57 | 3.9 | No | - | 3 |
| Maytag | MVWB850W*+ | 2.22 | 4.4 | No | - | 2 |
| Maytag | MVWB850Y*+ | 2.57 | 3.9 | No | - | 3 |
| Maytag | MVWB880B*+ | 2.50 | 3.8 | No | - | 3 |
| Maytag | MVWB950Y*+ | 2.57 | 3.9 | No | - | 3 |
| Maytag | MVWB955F** | 2.38 | 3.7 | No | Top | 1 |
| Maytag | MVWB980B*+ | 2.50 | 3.8 | No | - | 3 |
| Maytag | MVWC400X*+ | 2.48 | 3.6 | No | - | 3 |
| Maytag | MVWC425B*+ | 2.40 | 4.0 | No | - | 3 |
| Maytag | MVWC450X*+ | 2.48 | 3.6 | No | - | 3 |
| Maytag | MVWX500B*+ | 2.40 | 4.0 | No | - | 3 |
| Maytag | MVWX500X*+ | 2.46 | 3.6 | No | - | 3 |
| Maytag | MVWX550X*+ | 2.46 | 3.6 | No | - | 3 |
| Maytag | MVWX5SPA*+ | 2.46 | 3.6 | No | - | 3 |
| Maytag | MVWX600B*+ | 2.40 | 4.0 | No | - | 3 |
| Maytag | MVWX600X*+ | 2.46 | 3.6 | No | - | 3 |
| Maytag | MVWX700A* | 2.46 | 3.6 | No | - | 3 |
| Maytag | MVWX700X*+ | 2.46 | 3.6 | No | - | 3 |
| Miele | W3033 | 2.31 | 4.4 | No | - | 2 |
| Miele | W3035 | 2.31 | 4.4 | No | - | 2 |
| Miele | W3037 | 2.59 | 3.8 | No | - | 3 |
| Miele | W3038 | 2.35 | 3.90 | No | - | 2 |
| Miele | W3039 | 2.24 | 4.4 | No | - | 2 |
| Miele | W4802 | 2.40 | 4.2 | No | - | 2 |
| Miele | W4842 | 2.40 | 4.2 | No | - | 2 |
| Miele | WWF060 | 2.13 | 3.7 | No | Front | 1 |
| Miele | WWH660 | 2.13 | 3.7 | No | Front | 1 |
| Miele | WWH860 | 2.13 | 3.7 | No | Front | 1 |
| Primus | PFNE3BJP113+ | 2.38 | 3.7 | No | Front | 1 |
| Primus | PFNE3RSP113+ | 2.38 | 3.7 | No | Front | 1 |
| Primus | PTEE3FSP173+ | 2.38 | 3.7 | No | Front | 1 |
| Primus | PTGE3FSP113+ | 2.38 | 3.7 | No | Front | 1 |
| Samsung | WA400P*HD** | 2.41 | 3.7 | No | - | 3 |
| Samsung | WA422P*HD* | 2.45 | 3.6 | No | - | 3 |
| Samsung | WA456D*HD** | 2.45 | 3.6 | No | - | 3 |
| Samsung | WA45H70**A* | 2.45 | 3.6 | No | - | 3 |

| Brand | Model | *IMEF | **IWF | Uses Silver Ion Technology | Front or Top Loading | CEE Tier |
|---------|-------------|-------|-------|----------------------------|----------------------|----------|
| Samsung | WA45H72**A* | 2.45 | 3.6 | No | - | 3 |
| Samsung | WA476D*HA** | 2.57 | 3.8 | No | - | 3 |
| Samsung | WA484D*HA** | 2.61 | 3.9 | No | - | 3 |
| Samsung | WA48H74**A* | 2.66 | 3.7 | No | - | 3 |
| Samsung | WA50F9A6D** | 2.70 | 3.7 | No | - | 3 |
| Samsung | WA50F9A7D** | 2.70 | 3.7 | No | - | 3 |
| Samsung | WA50F9A8D** | 2.70 | 3.7 | No | - | 3 |
| Samsung | WA50K86**A* | 2.38 | 3.7 | No | Top | 1 |
| Samsung | WA52J806*A* | 2.38 | 3.7 | No | Top | 1 |
| Samsung | WA5451*** | 2.41 | 4.0 | No | - | 3 |
| Samsung | WA5471*** | 2.57 | 3.8 | No | - | 3 |
| Samsung | WA56H90**A* | 2.88 | 3.7 | No | - | 3 |
| Samsung | WF209*** | 2.61 | 3.8 | No | - | 3 |
| Samsung | WF210*** | 2.50 | 3.3 | No | - | 3 |
| Samsung | WF218*** | 2.47 | 3.3 | No | - | 3 |
| Samsung | WF219*** | 2.65 | 3.2 | No | - | 3 |
| Samsung | WF220*** | 2.50 | 3.3 | No | - | 3 |
| Samsung | WF221*** | 2.47 | 3.3 | No | - | 3 |
| Samsung | WF229*** | 2.47 | 3.3 | No | - | 3 |
| Samsung | WF231*** | 2.80 | 3.2 | No | - | 3 |
| Samsung | WF241*** | 2.80 | 3.2 | No | - | 3 |
| Samsung | WF328*A* | 2.30 | 3.7 | Yes | - | 2 |
| Samsung | WF328*N* | 2.30 | 3.7 | No | - | 2 |
| Samsung | WF330*** | 2.76 | 3.1 | No | - | 3 |
| Samsung | WF331*** | 2.76 | 3.1 | No | - | 3 |
| Samsung | WF337*A* | 2.40 | 3.6 | Yes | - | 3 |
| Samsung | WF337*N* | 2.40 | 3.6 | No | - | 3 |
| Samsung | WF338*A* | 2.59 | 3.6 | Yes | - | 3 |
| Samsung | WF338*N* | 2.59 | 3.6 | No | - | 3 |
| Samsung | WF339*A* | 2.59 | 3.6 | Yes | - | 3 |
| Samsung | WF339*N* | 2.59 | 3.6 | No | - | 3 |
| Samsung | WF340*** | 2.76 | 3.1 | No | - | 3 |
| Samsung | WF350*** | 2.76 | 3.1 | No | - | 3 |
| Samsung | WF361B*BE** | 3.12 | 3.0 | No | - | 3 |
| Samsung | WF363B*BE** | 3.14 | 3.0 | No | - | 3 |
| Samsung | WF364B*BG** | 3.13 | 3.0 | No | - | 3 |
| Samsung | WF365B*BG** | 3.13 | 2.9 | No | - | 3 |
| Samsung | WF393B*PA** | 3.30 | 2.9 | No | - | 3 |

| Brand | Model | *IMEF | **IWF | Uses Silver Ion Technology | Front or Top Loading | CEE Tier |
|---------|-------------|-------|-------|----------------------------|----------------------|----------|
| Samsung | WF395B*PA** | 3.30 | 2.9 | No | - | 3 |
| Samsung | WF397U*PA** | 3.35 | 2.9 | No | - | 3 |
| Samsung | WF398A*PA** | 3.30 | 3.0 | No | - | 3 |
| Samsung | WF405A*PA** | 3.35 | 2.9 | No | - | 3 |
| Samsung | WF407*A* | 2.82 | 3.2 | Yes | - | 3 |
| Samsung | WF407*N* | 2.82 | 3.2 | No | - | 3 |
| Samsung | WF409*** | 2.73 | 3.1 | No | - | 3 |
| Samsung | WF409*A* | 2.73 | 3.1 | Yes | - | 3 |
| Samsung | WF410*** | 2.73 | 3.1 | No | - | 3 |
| Samsung | WF419*** | 2.73 | 3.1 | No | - | 3 |
| Samsung | WF419*A* | 2.73 | 3.1 | Yes | - | 3 |
| Samsung | WF428*A* | 2.82 | 3.2 | Yes | - | 3 |
| Samsung | WF428*N* | 2.82 | 3.2 | No | - | 3 |
| Samsung | WF42H50**A* | 2.80 | 3.20 | No | Front | 2 |
| Samsung | WF42H51**A* | 2.60 | 3.3 | No | Front | 1 |
| Samsung | WF42H52**A* | 2.60 | 3.3 | No | Front | 1 |
| Samsung | WF42H54**A* | 2.60 | 3.3 | No | Front | 1 |
| Samsung | WF42H55**A* | 2.60 | 3.3 | No | Front | 1 |
| Samsung | WF42H56**A* | 2.60 | 3.3 | No | Front | 1 |
| Samsung | WF42H57**A* | 2.60 | 3.3 | No | Front | 1 |
| Samsung | WF431*** | 3.20 | 3.0 | No | - | 3 |
| Samsung | WF433B*GJ** | 3.32 | 2.9 | No | - | 3 |
| Samsung | WF435A*GJ** | 3.32 | 2.9 | No | - | 3 |
| Samsung | WF438*A* | 2.82 | 3.2 | Yes | - | 3 |
| Samsung | WF438*N* | 2.82 | 3.2 | No | - | 3 |
| Samsung | WF448*** | 2.76 | 3.2 | No | - | 3 |
| Samsung | WF448*A* | 2.76 | 3.2 | Yes | - | 3 |
| Samsung | WF455A*GS** | 3.42 | 2.7 | No | - | 3 |
| Samsung | WF457A*GS** | 2.40 | 3.0 | No | Front | 1 |
| Samsung | WF45H61**A* | 2.76 | 3.20 | No | Front | 2 |
| Samsung | WF45H63**A* | 2.80 | 3.00 | No | Front | 2 |
| Samsung | WF45K62**A* | 2.92 | 2.9 | No | Front | 3 |
| Samsung | WF45K65**A* | 2.80 | 3.0 | No | Front | 2 |
| Samsung | WF45M51**A* | 3.00 | 2.9 | No | Front | 3 |
| Samsung | WF45M55**A* | 2.92 | 2.9 | No | Front | 3 |
| Samsung | WF45N53**A* | 3.00 | 2.9 | No | Front | 2 |
| Samsung | WF45N63**A* | 2.92 | 3.0 | No | Front | 2 |
| Samsung | WF461*** | 3.25 | 2.9 | No | - | 3 |

| Brand | Model | *IMEF | **IWF | Uses Silver Ion Technology | Front or Top Loading | CEE Tier |
|-------------|-----------------|-------|-------|----------------------------|----------------------|----------|
| Samsung | WF501*** | 3.02 | 3.2 | No | - | 3 |
| Samsung | WF50K75**A* | 2.92 | 2.9 | No | Front | 3 |
| Samsung | WF511*** | 3.32 | 2.9 | No | - | 3 |
| Samsung | WF520*** | 3.10 | 2.9 | No | - | 3 |
| Samsung | WF56H91**A* | 3.10 | 2.70 | No | Front | 3 |
| Samsung | WF56H91**C* | 2.80 | 2.75 | No | Front | 2 |
| Samsung | WV55M96**A*-L | 2.92 | 2.9 | No | Front | 3 |
| Samsung | WV60M99**A*-L | 2.92 | 2.9 | No | Front | 3 |
| Samsung | WW22K680*A* | 2.25 | 4.0 | No | Front | 1 |
| Samsung | WW22N685*Q* | 2.25 | 3.7 | No | Front | 2 |
| Siemens | WFXD5201UC | 2.57 | 4.3 | No | - | 2 |
| Siemens | WFXD5202UC | 2.57 | 4.3 | No | - | 2 |
| Siemens | WFXD840 AUC | 2.20 | 4.5 | No | - | 2 |
| Speed Queen | AFN50RSP113+ | 2.38 | 3.7 | No | Front | 1 |
| Speed Queen | AFNA0 + | 2.24 | 4.5 | No | - | 2 |
| Speed Queen | AFNE8RSP113+ | 2.38 | 3.7 | No | Front | 1 |
| Speed Queen | AFNE9BSP113+ | 2.38 | 3.7 | No | Front | 1 |
| Speed Queen | AFNE9RSP113+ | 2.38 | 3.7 | No | Front | 1 |
| Speed Queen | ATEE9AGP173+ | 2.38 | 3.7 | No | Front | 1 |
| Speed Queen | ATEE9ASP283+ | 2.38 | 3.7 | No | Front | 1 |
| Speed Queen | ATGE9AGP113+ | 2.38 | 3.7 | No | Front | 1 |
| Speed Queen | ATGE9ASP093+ | 2.38 | 3.7 | No | Front | 1 |
| Speed Queen | LFN50RSP113+ | 2.38 | 3.7 | No | Front | 1 |
| Speed Queen | LFNA0+ | 2.24 | 4.5 | No | - | 2 |
| Speed Queen | LFNE5BJP113+ | 2.38 | 3.7 | No | Front | 1 |
| Speed Queen | LFNE5BSP113+ | 2.38 | 3.7 | No | Front | 1 |
| Speed Queen | LFNE5RSP113+ | 2.38 | 3.7 | No | Front | 1 |
| Speed Queen | LTE50FSP173+ | 2.38 | 3.7 | No | Front | 1 |
| Speed Queen | LTEA5FSP153**04 | 2.38 | 3.7 | No | Front | 1 |
| Speed Queen | LTEA5FSP153+ | 2.38 | 3.7 | No | Front | 1 |
| Speed Queen | LTEA5FSP173**04 | 2.38 | 3.7 | No | Front | 1 |
| Speed Queen | LTEA5FSP173+ | 2.38 | 3.7 | No | Front | 1 |
| Speed Queen | LTEE5ASP153+ | 2.38 | 3.7 | No | Front | 1 |
| Speed Queen | LTEE5ASP173+ | 2.38 | 3.7 | No | Front | 1 |
| Speed Queen | LTEE5ASP283+ | 2.38 | 3.7 | No | Front | 1 |
| Speed Queen | LTEE5ASP293+ | 2.38 | 3.7 | No | Front | 1 |
| Speed Queen | LTGA5FSP113+ | 2.38 | 3.7 | No | Front | 1 |
| Speed Queen | LTGE5ASP093+ | 2.38 | 3.7 | No | Front | 1 |

| Brand | Model | *IMEF | **IWF | Uses Silver Ion Technology | Front or Top Loading | CEE Tier |
|-------------|--------------|-------|-------|----------------------------|----------------------|----------|
| Speed Queen | LTGE5ASP113+ | 2.38 | 3.7 | No | Front | 1 |
| Unimac | UFNE5BJP113+ | 2.38 | 3.7 | No | Front | 1 |
| Unimac | UTEE5ASP173+ | 2.38 | 3.7 | No | Front | 1 |
| Unimac | UTEE5ASP283+ | 2.38 | 3.7 | No | Front | 1 |
| Unimac | UTGE5ASP113+ | 2.38 | 3.7 | No | Front | 1 |
| Whirlpool | WFL98HEB** | 2.38 | 3.7 | No | Front | 1 |
| Whirlpool | WFL98HEB*+ | 3.00 | 2.7 | No | - | 3 |
| Whirlpool | WFW3090G** | 2.38 | 3.7 | No | Front | 1 |
| Whirlpool | WFW3090J** | 2.07 | 4.2 | No | Front | 1 |
| Whirlpool | WFW5090G** | 2.38 | 3.7 | No | Front | 1 |
| Whirlpool | WFW5090J** | 2.07 | 4.2 | No | Front | 1 |
| Whirlpool | WFW560CH** | 2.92 | 3.2 | No | Front | 2 |
| Whirlpool | WFW5620H** | 2.92 | 3.2 | No | Front | 2 |
| Whirlpool | WFW61HEB** | 2.38 | 3.7 | No | Front | 1 |
| Whirlpool | WFW61HEB*+ | 2.80 | 3.5 | No | - | 3 |
| Whirlpool | WFW6620H** | 2.92 | 3.2 | No | Front | 2 |
| Whirlpool | WFW70HEB*+ | 2.80 | 3.5 | No | - | 3 |
| Whirlpool | WFW72HED*+ | 2.75 | 3.2 | No | Front | 2 |
| Whirlpool | WFW7540F** | 2.92 | 3.2 | No | Front | 3 |
| Whirlpool | WFW7590F** | 2.92 | 3.2 | No | Front | 3 |
| Whirlpool | WFW75HEF** | 2.92 | 3.2 | No | Front | 3 |
| Whirlpool | WFW80HEB*+ | 2.80 | 3.5 | No | - | 3 |
| Whirlpool | WFW81HED*+ | 2.75 | 3.2 | No | Front | 2 |
| Whirlpool | WFW8300S*+ | 2.24 | 4.5 | No | - | 2 |
| Whirlpool | WFW83HED*+ | 3.20 | 3.0 | No | - | 3 |
| Whirlpool | WFW8400T*+ | 2.44 | 4.0 | No | - | 3 |
| Whirlpool | WFW8410S*+ | 2.37 | 4.5 | No | - | 2 |
| Whirlpool | WFW8540F** | 2.92 | 3.2 | No | Front | 3 |
| Whirlpool | WFW85HEF** | 2.92 | 3.2 | No | Front | 3 |
| Whirlpool | WFW8640B*+ | 2.80 | 3.5 | No | - | 3 |
| Whirlpool | WFW86HEB*+ | 2.80 | 3.5 | No | - | 3 |
| Whirlpool | WFW8740D*+ | 2.38 | 3.7 | No | Front | 1 |
| Whirlpool | WFW87HED*+ | 2.75 | 3.2 | No | Front | 2 |
| Whirlpool | WFW88HEA*+ | 3.32 | 2.7 | No | - | 3 |
| Whirlpool | WFW9050X*+ | 2.45 | 3.8 | No | - | 3 |
| Whirlpool | WFW90HEF** | 2.92 | 3.2 | No | Front | 3 |
| Whirlpool | WFW9150W#** | 2.45 | 3.8 | No | - | 3 |
| Whirlpool | WFW9151Y* | 2.46 | 3.7 | No | - | 3 |

| Brand | Model | *IMEF | **IWF | Uses Silver Ion Technology | Front or Top Loading | CEE Tier |
|-----------|-------------|-------|-------|----------------------------|----------------------|----------|
| Whirlpool | WFW9250W#** | 2.45 | 3.8 | No | - | 3 |
| Whirlpool | WFW9290F** | 2.92 | 3.2 | No | Front | 3 |
| Whirlpool | WFW92HEF** | 2.92 | 3.2 | No | Front | 3 |
| Whirlpool | WFW9351Y* | 2.46 | 3.7 | No | - | 3 |
| Whirlpool | WFW9400S*+ | 2.29 | 3.9 | No | - | 2 |
| Whirlpool | WFW9400V*+ | 2.29 | 3.9 | No | - | 2 |
| Whirlpool | WFW9450W*+ | 2.46 | 3.8 | No | - | 3 |
| Whirlpool | WFW9451X* | 2.44 | 3.9 | No | - | 3 |
| Whirlpool | WFW9470W#** | 2.35 | 4.1 | No | - | 2 |
| Whirlpool | WFW94HEA*+ | 3.30 | 2.7 | No | - | 3 |
| Whirlpool | WFW94HEX*+ | 3.00 | 2.7 | No | - | 3 |
| Whirlpool | WFW9500T*+ | 2.26 | 3.6 | No | - | 2 |
| Whirlpool | WFW9550W*+ | 2.43 | 3.4 | No | - | 3 |
| Whirlpool | WFW95HED*+ | 2.75 | 3.2 | No | Front | 2 |
| Whirlpool | WFW95HEX*+ | 3.00 | 2.8 | No | - | 3 |
| Whirlpool | WFW9600S*+ | 2.29 | 3.9 | No | - | 2 |
| Whirlpool | WFW9600T*+ | 2.42 | 3.7 | No | - | 3 |
| Whirlpool | WFW9640X*+ | 2.66 | 2.8 | No | - | 3 |
| Whirlpool | WFW96HEA*+ | 3.30 | 2.7 | No | - | 3 |
| Whirlpool | WFW9700V*+ | 2.41 | 3.8 | No | - | 3 |
| Whirlpool | WFW9750W*+ | 2.53 | 2.8 | No | - | 3 |
| Whirlpool | WFW97HED* | 3.20 | 3.0 | No | - | 3 |
| Whirlpool | WFW97HED*+ | 2.75 | 3.2 | No | Front | 2 |
| Whirlpool | WFW97HEX*+ | 3.00 | 2.7 | No | - | 3 |
| Whirlpool | WTW4900B*+ | 2.40 | 4.0 | No | - | 3 |
| Whirlpool | WTW4950X*+ | 2.48 | 3.8 | No | - | 3 |
| Whirlpool | WTW5500B*+ | 2.40 | 4.0 | No | - | 3 |
| Whirlpool | WTW5500X*+ | 2.49 | 3.9 | No | - | 3 |
| Whirlpool | WTW5550X*+ | 2.49 | 3.9 | No | - | 3 |
| Whirlpool | WTW5600X*+ | 2.46 | 3.8 | No | - | 3 |
| Whirlpool | WTW5610X*+ | 2.46 | 3.8 | No | - | 3 |
| Whirlpool | WTW5640X*+ | 2.46 | 3.8 | No | - | 3 |
| Whirlpool | WTW5700A*+ | 2.46 | 3.8 | No | - | 3 |
| Whirlpool | WTW5700X*+ | 2.46 | 3.8 | No | - | 3 |
| Whirlpool | WTW5800B*+ | 2.40 | 4.0 | No | - | 3 |
| Whirlpool | WTW5810B*+ | 2.40 | 4.0 | No | - | 3 |
| Whirlpool | WTW5840B*+ | 2.40 | 4.0 | No | - | 3 |
| Whirlpool | WTW6300W#** | 2.22 | 4.3 | No | - | 2 |

| Brand | Model | *IMEF | **IWF | Uses Silver Ion Technology | Front or Top Loading | CEE Tier |
|-----------|------------|-------|-------|----------------------------|----------------------|----------|
| Whirlpool | WTW6340W*+ | 2.22 | 4.3 | No | - | 2 |
| Whirlpool | WTW6500V*+ | 2.29 | 4.2 | No | - | 2 |
| Whirlpool | WTW6500W*+ | 2.29 | 4.2 | No | - | 2 |
| Whirlpool | WTW6700T*+ | 2.23 | 4.4 | No | - | 2 |
| Whirlpool | WTW6800W*+ | 2.29 | 4.2 | No | - | 2 |
| Whirlpool | WTW7300X*+ | 2.63 | 3.6 | No | - | 3 |
| Whirlpool | WTW7320Y*+ | 2.63 | 3.6 | No | - | 3 |
| Whirlpool | WTW7340X*+ | 2.48 | 3.6 | No | - | 3 |
| Whirlpool | WTW7600X*+ | 2.48 | 3.6 | No | - | 3 |
| Whirlpool | WTW7800X*+ | 2.48 | 3.6 | No | - | 3 |
| Whirlpool | WTW7990X*+ | 2.44 | 3.7 | No | - | 3 |
| Whirlpool | WTW8000B*+ | 2.50 | 3.8 | No | - | 3 |
| Whirlpool | WTW8100B*+ | 2.50 | 3.8 | No | - | 3 |
| Whirlpool | WTW8200Y*+ | 2.65 | 3.7 | No | - | 3 |
| Whirlpool | WTW8240Y*+ | 2.65 | 3.7 | No | - | 3 |
| Whirlpool | WTW8400Y*+ | 2.65 | 3.7 | No | - | 3 |
| Whirlpool | WTW8440Y*+ | 2.65 | 3.7 | No | - | 3 |
| Whirlpool | WTW8500B*+ | 2.50 | 3.8 | No | - | 3 |
| Whirlpool | WTW8540B*+ | 2.50 | 3.8 | No | - | 3 |
| Whirlpool | WTW8600Y*+ | 2.65 | 3.7 | No | - | 3 |
| Whirlpool | WTW8800Y*+ | 2.65 | 3.7 | No | - | 3 |
| Whirlpool | WTW8900B*+ | 2.50 | 3.8 | No | - | 3 |
| Whirlpool | WTW9500E** | 2.38 | 3.7 | No | Top | 1 |

Disclaimer of Endorsement: Reference herein to any specific commercial products, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government.