

**Environmental Assessment
Determinations and Compliance Findings
for HUD-assisted Projects
24 CFR Part 58**

Project Information

Project Name: Greenway-Manor

HEROS Number: 900000010126733

Responsible Entity (RE): WICHITA, CITY HALL WICHITA KS, 67202

RE Preparer: Brad Snapp

State / Local Identifier:

Certifying Officer: Robert Layton

Grant Recipient (if different than Responsible Entity):

Point of Contact:

Consultant (if applicable): Spectrum Environmental, Inc.

Point of Contact: Jamie Cox

Project Location: 315 N Riverview St, Wichita, KS 67203

Additional Location Information:

N/A

AMP or AMPs, if any, covered in this review:

AMP 1	AMP 2	AMP 3	AMP 4	AMP 5
KS004000001				

Does this review cover a full or partial AMP?

✓ Full AMP.

Partial AMP.

N/A

Direct Comments to:

Description of the Proposed Project [24 CFR 50.12 & 58.32; 40 CFR 1508.25]:

The City of Wichita Housing Authority proposes to convert its four HUD Section 9 Public Housing multifamily senior properties to Section 8 Project Based Rental Assistance through the Rental Assistance Demonstration (RAD) project. Greenway Manor, a seven-story high rise building with 86-units designated for seniors, is one of the four properties. Proposed rehabilitation activities include replacing the roof, replace elevator cabs and elevator equipment, replace existing two pipe water HVAC system with new VTAC Vertical Air Conditioner system or a four-pipe system, replace cast iron sewer pipe system with new PVC sewer pipes, replace domestic hot water heaters, renovate and reconfigure residential kitchens and bathrooms, remove and replace all ceiling tiles and drywall throughout the building, paint all walls, install new residential upper and base kitchen cabinets including new counter tops and sinks, remove and replace residential bath tub and lavatory, vinyl flooring and install a new ventilation fan in bathrooms, replace electrical wiring throughout the building, replace all electrical fixtures throughout the building, renovate and reconfigure common areas. The City of Wichita committed \$593,600, of Public Housing Capital Fund Program dollars from the 2018, 2019, and 2020, grant years. Community Development Block Grant funding from grant year 2018, Community Development Block Grant Section 108 Loan Repayment funding, and the Revolving Loan Program totaling \$438,696. And \$423,301, from the HOME Investment Partnerships Program from grant years 2020 and 2021.

Statement of Purpose and Need for the Proposal [40 CFR 1508.9(b)]:

The project is an affordable housing project that is being renovated.

Existing Conditions and Trends [24 CFR 58.40(a)]:

The target property has been improved with one 86-unit apartment complex that was constructed in 1974. Surrounding properties are predominately of commercial uses.

Maps, photographs, and other documentation of project location and description:

[Appendix A - Figures 3.pdf](#)

[Appendix A - Figures 2.pdf](#)

[Appendix A - Figures 1.pdf](#)

Determination:

✓	Finding of No Significant Impact [24 CFR 58.40(g)(1); 40 CFR 1508.13] The project will not result in a significant impact on the quality of human environment
	Finding of Significant Impact

Approval Documents:**7015.15 certified by Certifying Officer****on:****7015.16 certified by Authorizing Officer****on:****Funding Information**

Grant / Project Identification Number	HUD Program	Program Name
B-15-MC-20-0004	Community Planning and Development (CPD)	Community Development Block Grants (CDBG) (Entitlement)
B-18-MC-200004	Community Planning and Development (CPD)	Community Development Block Grants (CDBG) (Entitlement)
KS01P004501-18	Public Housing	Public Housing Capital Fund (including CFFP and other grants)
KS01P004501-19	Public Housing	Public Housing Capital Fund (including CFFP and other grants)
KS01P004501-20	Public Housing	Public Housing Capital Fund (including CFFP and other grants)
M-18-MC-20-0204	Community Planning and Development (CPD)	HOME Program
M-20-MC-20-0204	Community Planning and Development (CPD)	HOME Program
M-21-MC-20-0204	Community Planning and Development (CPD)	HOME Program

Estimated Total HUD Funded, \$1,455,597.00
Assisted or Insured Amount:

Estimated Total Project Cost [24 CFR 58.2 (a) \$11,478,715.00
(5)]:

Compliance with 24 CFR §50.4, §58.5 and §58.6 Laws and Authorities

Compliance Factors: Statutes, Executive Orders, and Regulations listed at 24 CFR §50.4, §58.5, and §58.6	Are formal compliance steps or mitigation required?	Compliance determination (See Appendix A for source determinations)
STATUTES, EXECUTIVE ORDERS, AND REGULATIONS LISTED AT 24 CFR §50.4 & § 58.6		
Airport Hazards Clear Zones and Accident Potential Zones; 24 CFR Part 51 Subpart D	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	There are no civilian airports located within 2,500 feet and no military airports located with 15,000 feet of the project site; therefore, the project is in compliance. See Appendix A - Figure 4 (attached).
Coastal Barrier Resources Act Coastal Barrier Resources Act, as amended by the Coastal Barrier Improvement Act of 1990 [16 USC 3501]	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	This project is located in a state that does not contain CBRS units. Therefore, this project is in compliance with the Coastal Barrier Resources Act.
Flood Insurance Flood Disaster Protection Act of 1973 and National Flood Insurance Reform Act of 1994 [42 USC 4001-4128 and 42 USC 5154a]	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	The structure or insurable property is not located in a FEMA-designated Special Flood Hazard Area. While flood insurance may not be mandatory in this instance, HUD recommends that all insurable structures maintain flood insurance under the National Flood Insurance Program (NFIP). The project is in compliance with flood insurance requirements.
STATUTES, EXECUTIVE ORDERS, AND REGULATIONS LISTED AT 24 CFR §50.4 & § 58.5		
Air Quality Clean Air Act, as amended, particularly section 176(c) & (d); 40 CFR Parts 6, 51, 93	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	The project's county or air quality management district is in attainment status for all criteria pollutants. The project is in compliance with the Clean Air Act. A copy of the EPA Green Book Nonattainment Areas for Criteria Pollutants (8-31-2020) is attached. Wichita Kansas is in attainment.
Coastal Zone Management Act Coastal Zone Management Act, sections 307(c) & (d)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	This project is located in a state that does not participate in the Coastal Zone Management Program. Therefore, this project is in compliance with the Coastal Zone Management Act.

Contamination and Toxic Substances 24 CFR 50.3(i) & 58.5(i)(2)]	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Site contamination was evaluated as follows: ASTM Phase I ESA, ASTM Phase II ESA. On-site or nearby toxic, hazardous, or radioactive substances that could affect the health and safety of project occupants or conflict with the intended use of the property were not found. The project is in compliance with contamination and toxic substances requirements.
Endangered Species Act Endangered Species Act of 1973, particularly section 7; 50 CFR Part 402	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	This project will have No Effect on listed species due to the nature of the activities involved in the project. This project is in compliance with the Endangered Species Act.
Explosive and Flammable Hazards Above-Ground Tanks)[24 CFR Part 51 Subpart C	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Based on the project description the project includes no activities that would require further evaluation under this section. The project is in compliance with explosive and flammable hazard requirements.
Farmlands Protection Farmland Protection Policy Act of 1981, particularly sections 1504(b) and 1541; 7 CFR Part 658	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	This project does not include any activities that could potentially convert agricultural land to a non-agricultural use. The project is in compliance with the Farmland Protection Policy Act.
Floodplain Management Executive Order 11988, particularly section 2(a); 24 CFR Part 55	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	This project does not occur in a floodplain. The project is in compliance with Executive Order 11988.
Historic Preservation National Historic Preservation Act of 1966, particularly sections 106 and 110; 36 CFR Part 800	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Based on Section 106 consultation the project will have No Adverse Effect on historic properties. Conditions: None. Upon satisfactory implementation of the conditions, which should be monitored, the project is in compliance with Section 106.
Noise Abatement and Control Noise Control Act of 1972, as amended by the Quiet Communities Act of 1978; 24 CFR Part 51 Subpart B	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	A Noise Assessment was conducted. The noise level was acceptable: 0.0 db. See noise analysis. The project is in compliance with HUD's Noise regulation.
Sole Source Aquifers Safe Drinking Water Act of 1974, as amended, particularly section 1424(e); 40 CFR Part 149	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Based on the project description, the project consists of activities that are unlikely to have an adverse impact on groundwater resources. The project is in

		compliance with Sole Source Aquifer requirements.
Wetlands Protection Executive Order 11990, particularly sections 2 and 5	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Based on the project description this project includes no activities that would require further evaluation under this section. The project is in compliance with Executive Order 11990.
Wild and Scenic Rivers Act Wild and Scenic Rivers Act of 1968, particularly section 7(b) and (c)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	This project is not within proximity of a NWSRS river. The project is in compliance with the Wild and Scenic Rivers Act.
HUD HOUSING ENVIRONMENTAL STANDARDS		
ENVIRONMENTAL JUSTICE		
Environmental Justice Executive Order 12898	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	No adverse environmental impacts were identified in the project's total environmental review. The project is in compliance with Executive Order 12898.

Environmental Assessment Factors [24 CFR 58.40; Ref. 40 CFR 1508.8 &1508.27]

Impact Codes: An impact code from the following list has been used to make the determination of impact for each factor.

- (1) Minor beneficial impact
- (2) No impact anticipated
- (3) Minor Adverse Impact – May require mitigation
- (4) Significant or potentially significant impact requiring avoidance or modification which may require an Environmental Impact Statement.

Environmental Assessment Factor	Impact Code	Impact Evaluation	Mitigation
LAND DEVELOPMENT			
Conformance with Plans / Compatible Land Use and Zoning / Scale and Urban Design	2	The site contains preexisting structures that will be renovated. There will be no clearing or new construction associated with this project, therefore there will be no impacts that will affect the conformance with plans, zoning, land use, scale/urban design.	
Soil Suitability / Slope/ Erosion / Drainage and Storm Water Runoff	2	The site contains preexisting structures that will be renovated. There will be no clearing or new construction associated with this	

Environmental Assessment Factor	Impact Code	Impact Evaluation	Mitigation
LAND DEVELOPMENT			
		project, therefore no impacts are expected in regard to the soil suitability, slopes, erosion/drainage or stormwater runoff.	
Hazards and Nuisances including Site Safety and Site-Generated Noise	2	The site contains preexisting structures that will be renovated. There will be no clearing or new construction associated with this project. There are no anticipated hazards or nuisances associated with this project.	
Energy Consumption/Energy Efficiency	2	No impacts are anticipated.	
SOCIOECONOMIC			
Employment and Income Patterns	2	No impacts are anticipated.	
Demographic Character Changes / Displacement	2	No impacts are anticipated.	
COMMUNITY FACILITIES AND SERVICES			
Educational and Cultural Facilities (Access and Capacity)	2	No impacts are anticipated.	
Commercial Facilities (Access and Proximity)	2	No impacts are anticipated.	
Health Care / Social Services (Access and Capacity)	2	No impacts are anticipated.	
Solid Waste Disposal and Recycling (Feasibility and Capacity)	2	No impacts are anticipated.	
Waste Water and Sanitary Sewers (Feasibility and Capacity)	2	No impacts are anticipated.	
Water Supply (Feasibility and Capacity)	2	No impacts are anticipated.	
Public Safety - Police, Fire and Emergency Medical	2	No impacts are anticipated.	
Parks, Open Space and Recreation (Access and Capacity)	2	No impacts are anticipated.	

Environmental Assessment Factor	Impact Code	Impact Evaluation	Mitigation
LAND DEVELOPMENT			
Transportation and Accessibility (Access and Capacity)	2	No impacts are anticipated.	
NATURAL FEATURES			
Unique Natural Features /Water Resources	2	There will be no clearing or new construction associated with this project, therefore, no impacts are anticipated.	
Vegetation / Wildlife (Introduction, Modification, Removal, Disruption, etc.)	2	There will be no clearing or new construction associated with this project, therefore, no impacts are anticipated.	
Other Factors	2	There will be no clearing or new construction associated with this project, therefore, no impacts are anticipated.	

Supporting documentation

Additional Studies Performed:

Field Inspection [Optional]: Date and completed

by:

Audrey Henson

3/12/2020 12:00:00 AM

List of Sources, Agencies and Persons Consulted [40 CFR 1508.9(b)]:

Environmental Risk Information Services (ERIS), Property Contact, and Local Fire Department.

List of Permits Obtained:

Public Outreach [24 CFR 58.43]:

Public notice has been provided to the community for this proposed project and requested funds.

Cumulative Impact Analysis [24 CFR 58.32]:

No impacted anticipated

Alternatives [24 CFR 58.40(e); 40 CFR 1508.9]**No Action Alternative [24 CFR 58.40(e)]**

It is our opinion that there will be no impacts from the proposed project, as such no actions are recommended. If no actions were taken and this project was not completed, this facility would be unable to continue to provide adequate housing for those in need.

Summary of Findings and Conclusions:

The City of Wichita has determined that based on the findings in this report, there will be no significant adverse environmental impacts as a result of this project, therefore a Finding of No Significant Impact can be made.

Mitigation Measures and Conditions [CFR 1505.2(c)]:

Summarized below are all mitigation measures adopted by the Responsible Entity to reduce, avoid or eliminate adverse environmental impacts and to avoid non-compliance or non-conformance with the above-listed authorities and factors. These measures/conditions must be incorporated into project contracts, development agreements and other relevant documents. The staff responsible for implementing and monitoring mitigation measures should be clearly identified in the mitigation plan.

Law, Authority, or Factor	Mitigation Measure or Condition	Comments on Completed Measures	Complete
Contamination	ACMs were identified and should be removed or managed under an Operations & Maintenance Program.	N/A	
Contamination	RECs were identified and further investigation should be conducted	N/A	

Mitigation Plan

A Phase II is necessary to identify the extent of contamination. ACMs were identified and should be removed or managed under an Operations & Maintenance Program.

[3389-001 ACM OM Plans \(Greenway and McLean Manors\).pdf](#)

Supporting documentation on completed measures

APPENDIX A: Related Federal Laws and Authorities

Airport Hazards

General policy	Legislation	Regulation
It is HUD's policy to apply standards to prevent incompatible development around civil airports and military airfields.		24 CFR Part 51 Subpart D

1. To ensure compatible land use development, you must determine your site's proximity to civil and military airports. Is your project within 15,000 feet of a military airport or 2,500 feet of a civilian airport?

✓ No

Based on the response, the review is in compliance with this section. Document and upload the map showing that the site is not within the applicable distances to a military or civilian airport below

Yes

Screen Summary

Compliance Determination

There are no civilian airports located within 2,500 feet and no military airports located within 15,000 feet of the project site; therefore, the project is in compliance. See Appendix A - Figure 4 (attached).

Supporting documentation

[Appendix A - Figures 4.pdf](#)

Are formal compliance steps or mitigation required?

Yes

✓ No

Coastal Barrier Resources

General requirements	Legislation	Regulation
HUD financial assistance may not be used for most activities in units of the Coastal Barrier Resources System (CBRS). See 16 USC 3504 for limitations on federal expenditures affecting the CBRS.	Coastal Barrier Resources Act (CBRA) of 1982, as amended by the Coastal Barrier Improvement Act of 1990 (16 USC 3501)	

This project is located in a state that does not contain CBRA units. Therefore, this project is in compliance with the Coastal Barrier Resources Act.

Compliance Determination

This project is located in a state that does not contain CBRS units. Therefore, this project is in compliance with the Coastal Barrier Resources Act.

Supporting documentation

Are formal compliance steps or mitigation required?

Yes

✓ No

Flood Insurance

General requirements	Legislation	Regulation
Certain types of federal financial assistance may not be used in floodplains unless the community participates in National Flood Insurance Program and flood insurance is both obtained and maintained.	Flood Disaster Protection Act of 1973 as amended (42 USC 4001-4128)	24 CFR 50.4(b)(1) and 24 CFR 58.6(a) and (b); 24 CFR 55.1(b).

1. Does this project involve financial assistance for construction, rehabilitation, or acquisition of a mobile home, building, or insurable personal property?

No. This project does not require flood insurance or is excepted from flood insurance.

✓ Yes

2. Upload a FEMA/FIRM map showing the site here:

[Appendix A - Figures 6.pdf](#)

The Federal Emergency Management Agency (FEMA) designates floodplains. The [FEMA Map Service Center](#) provides this information in the form of FEMA Flood Insurance Rate Maps (FIRMs). For projects in areas not mapped by FEMA, use the best available information to determine floodplain information. Include documentation, including a discussion of why this is the best available information for the site. Provide FEMA/FIRM floodplain zone designation, panel number, and date within your documentation.

Is the structure, part of the structure, or insurable property located in a FEMA-designated Special Flood Hazard Area?

✓ No

Based on the response, the review is in compliance with this section.

Yes

Screen Summary

Compliance Determination

The structure or insurable property is not located in a FEMA-designated Special Flood Hazard Area. While flood insurance may not be mandatory in this instance, HUD

recommends that all insurable structures maintain flood insurance under the National Flood Insurance Program (NFIP). The project is in compliance with flood insurance requirements.

Supporting documentation

Are formal compliance steps or mitigation required?

Yes

✓ No

Air Quality

General requirements	Legislation	Regulation
The Clean Air Act is administered by the U.S. Environmental Protection Agency (EPA), which sets national standards on ambient pollutants. In addition, the Clean Air Act is administered by States, which must develop State Implementation Plans (SIPs) to regulate their state air quality. Projects funded by HUD must demonstrate that they conform to the appropriate SIP.	Clean Air Act (42 USC 7401 et seq.) as amended particularly Section 176(c) and (d) (42 USC 7506(c) and (d))	40 CFR Parts 6, 51 and 93

1. Does your project include new construction or conversion of land use facilitating the development of public, commercial, or industrial facilities OR five or more dwelling units?

Yes

No

Air Quality Attainment Status of Project's County or Air Quality Management District

2. Is your project's air quality management district or county in non-attainment or maintenance status for any criteria pollutants?

No, project's county or air quality management district is in attainment status for all criteria pollutants.

Yes, project's management district or county is in non-attainment or maintenance status for the following criteria pollutants (check all that apply):

Screen Summary

Compliance Determination

The project's county or air quality management district is in attainment status for all criteria pollutants. The project is in compliance with the Clean Air Act. A copy of the EPA Green Book Nonattainment Areas for Criteria Pollutants (8-31-2020) is attached. Wichita Kansas is in attainment.

Supporting documentation

[EPA Green Book Nonattainment Areas for Criteria Pollutants 8-31-2020.pdf](#)

Are formal compliance steps or mitigation required?

Yes

No

Coastal Zone Management Act

General requirements	Legislation	Regulation
Federal assistance to applicant agencies for activities affecting any coastal use or resource is granted only when such activities are consistent with federally approved State Coastal Zone Management Act Plans.	Coastal Zone Management Act (16 USC 1451-1464), particularly section 307(c) and (d) (16 USC 1456(c) and (d))	15 CFR Part 930

This project is located in a state that does not participate in the Coastal Zone Management Program. Therefore, this project is in compliance with the Coastal Zone Management Act.

Screen Summary

Compliance Determination

This project is located in a state that does not participate in the Coastal Zone Management Program. Therefore, this project is in compliance with the Coastal Zone Management Act.

Supporting documentation

Are formal compliance steps or mitigation required?

Yes

✓ No

Contamination and Toxic Substances

General requirements	Legislation	Regulations
It is HUD policy that all properties that are being proposed for use in HUD programs be free of hazardous materials, contamination, toxic chemicals and gases, and radioactive substances, where a hazard could affect the health and safety of the occupants or conflict with the intended utilization of the property.		24 CFR 58.5(i)(2) 24 CFR 50.3(i)

1. How was site contamination evaluated? Select all that apply. Document and upload documentation and reports and evaluation explanation of site contamination below.

- American Society for Testing and Materials (ASTM) Phase I Environmental Site Assessment (ESA)
- ASTM Phase II ESA
 - Remediation or clean-up plan
 - ASTM Vapor Encroachment Screening
 - None of the Above

2. Were any on-site or nearby toxic, hazardous, or radioactive substances found that could affect the health and safety of project occupants or conflict with the intended use of the property? (Were any recognized environmental conditions or RECs identified in a Phase I ESA and confirmed in a Phase II ESA?)

- No

Explain:

On April 7, 2020, Spectrum Environmental submitted a Phase I ESA for Greenway Manor. The findings on the Phase I ESA identified a history of petroleum use and a potential for offsite chlorinated solvent contamination on the property. As such, a recognized environmental condition was identified on the property. Spectrum Environmental recommended a Phase II ESA to be performed. The Wichita Housing Authority hired Spectrum to do conduct a Phase II ESA on the target property, On July 2, 2020, Spectrum in conjunction with GSI Engineering, advanced four soil borings via direct-push technique at the target property. At each boring location, a geologist described the soil. The lithologic description and other observations were recorded in the field notebook. Soil and groundwater samples were submitted to Xenco Laboratories for analysis of Volatile Organic Compounds. No chemicals of concern were detected above EPAs RSLs or Kansas Risk-

Based Standards. Based on the results described in the attached report, Spectrum stated it is unlikely that any significant levels of contamination are present on the property. As such, no further actions are recommended for this site.

Based on the response, the review is in compliance with this section.

Yes

Screen Summary

Compliance Determination

Site contamination was evaluated as follows: ASTM Phase I ESA, ASTM Phase II ESA. On-site or nearby toxic, hazardous, or radioactive substances that could affect the health and safety of project occupants or conflict with the intended use of the property were not found. The project is in compliance with contamination and toxic substances requirements.

Supporting documentation

[WHA Greenway Manor - Phase II ESA Report.pdf](#)
[20200407 Greenway Manor.pdf](#)

Are formal compliance steps or mitigation required?

Yes

✓ No

Endangered Species

General requirements	ESA Legislation	Regulations
Section 7 of the Endangered Species Act (ESA) mandates that federal agencies ensure that actions that they authorize, fund, or carry out shall not jeopardize the continued existence of federally listed plants and animals or result in the adverse modification or destruction of designated critical habitat. Where their actions may affect resources protected by the ESA, agencies must consult with the Fish and Wildlife Service and/or the National Marine Fisheries Service (“FWS” and “NMFS” or “the Services”).	The Endangered Species Act of 1973 (16 U.S.C. 1531 <i>et seq.</i>); particularly section 7 (16 USC 1536).	50 CFR Part 402

1. Does the project involve any activities that have the potential to affect species or habitats?

- ✓ No, the project will have No Effect due to the nature of the activities involved in the project.

This selection is only appropriate if none of the activities involved in the project have potential to affect species or habitats. Examples of actions without potential to affect listed species may include: purchasing existing buildings, completing interior renovations to existing buildings, and replacing exterior paint or siding on existing buildings.

Based on the response, the review is in compliance with this section.

No, the project will have No Effect based on a letter of understanding, memorandum of agreement, programmatic agreement, or checklist provided by local HUD office

Yes, the activities involved in the project have the potential to affect species and/or habitats.

Screen Summary

Compliance Determination

This project will have No Effect on listed species due to the nature of the activities involved in the project. This project is in compliance with the Endangered Species Act.

Supporting documentation

Are formal compliance steps or mitigation required?

Yes

✓ No

Explosive and Flammable Hazards

General requirements	Legislation	Regulation
HUD-assisted projects must meet Acceptable Separation Distance (ASD) requirements to protect them from explosive and flammable hazards.	N/A	24 CFR Part 51 Subpart C

1. Is the proposed HUD-assisted project itself the development of a hazardous facility (a facility that mainly stores, handles or processes flammable or combustible chemicals such as bulk fuel storage facilities and refineries)?

No

Yes

2. Does this project include any of the following activities: development, construction, rehabilitation that will increase residential densities, or conversion?

No

Based on the response, the review is in compliance with this section.

Yes

Screen Summary

Compliance Determination

Based on the project description the project includes no activities that would require further evaluation under this section. The project is in compliance with explosive and flammable hazard requirements.

Supporting documentation

Are formal compliance steps or mitigation required?

Yes

No

Farmlands Protection

General requirements	Legislation	Regulation
The Farmland Protection Policy Act (FPPA) discourages federal activities that would convert farmland to nonagricultural purposes.	Farmland Protection Policy Act of 1981 (7 U.S.C. 4201 et seq.)	7 CFR Part 658

1. Does your project include any activities, including new construction, acquisition of undeveloped land or conversion, that could convert agricultural land to a non-agricultural use?

Yes

No

If your project includes new construction, acquisition of undeveloped land or conversion, explain how you determined that agricultural land would not be converted:

Based on the response, the review is in compliance with this section. Document and upload all documents used to make your determination below.

Screen Summary

Compliance Determination

This project does not include any activities that could potentially convert agricultural land to a non-agricultural use. The project is in compliance with the Farmland Protection Policy Act.

Supporting documentation

Are formal compliance steps or mitigation required?

Yes

No

Floodplain Management

General Requirements	Legislation	Regulation
Executive Order 11988, Floodplain Management, requires federal activities to avoid impacts to floodplains and to avoid direct and indirect support of floodplain development to the extent practicable.	Executive Order 11988	24 CFR 55

1. Do any of the following exemptions apply? Select the applicable citation? [only one selection possible]

- 55.12(c)(3)
- 55.12(c)(4)
- 55.12(c)(5)
- 55.12(c)(6)
- 55.12(c)(7)
- 55.12(c)(8)
- 55.12(c)(9)
- 55.12(c)(10)
- 55.12(c)(11)

None of the above

2. Upload a FEMA/FIRM map showing the site here:

[Appendix A - Figures 6.pdf](#)

The Federal Emergency Management Agency (FEMA) designates floodplains. The FEMA Map Service Center provides this information in the form of FEMA Flood Insurance Rate Maps (FIRMs). For projects in areas not mapped by FEMA, use **the best available information** to determine floodplain information. Include documentation, including a discussion of why this is the best available information for the site.

Does your project occur in a floodplain?

No

Based on the response, the review is in compliance with this section.

Yes

Screen Summary

Compliance Determination

This project does not occur in a floodplain. The project is in compliance with Executive Order 11988.

Supporting documentation

Are formal compliance steps or mitigation required?

Yes

✓ No

Historic Preservation

General requirements	Legislation	Regulation
Regulations under Section 106 of the National Historic Preservation Act (NHPA) require a consultative process to identify historic properties, assess project impacts on them, and avoid, minimize, or mitigate adverse effects	Section 106 of the National Historic Preservation Act (16 U.S.C. 470f)	36 CFR 800 "Protection of Historic Properties" http://www.access.gpo.gov/nara/cfr/waisidx_10/36cfr800_10.html

Threshold

Is Section 106 review required for your project?

No, because the project consists solely of activities listed as exempt in a Programmatic Agreement (PA). (See the PA Database to find applicable PAs.)

No, because the project consists solely of activities included in a No Potential to Cause Effects memo or other determination [36 CFR 800.3(a)(1)].

- ✓ Yes, because the project includes activities with potential to cause effects (direct or indirect).

Step 1 – Initiate Consultation

Select all consulting parties below (check all that apply):

- ✓ State Historic Preservation Offer (SHPO) Completed

Indian Tribes, including Tribal Historic Preservation Officers (THPOs) or Native Hawaiian Organizations (NHOs)

Other Consulting Parties

Describe the process of selecting consulting parties and initiating consultation here:

Per the Environmental Review Requirements for First Component RAD Conversion, dated March 2019, only HUD staff should contact the State Historic Preservation Officer (SHPO) to request consultation under Section 106.

Document and upload all correspondence, notices and notes (including comments and objections received below).

Step 2 – Identify and Evaluate Historic Properties

- 1. **Define the Area of Potential Effect (APE), either by entering the address(es) or uploading a map depicting the APE below:**

See attached area of potential effect (APE) aerial maps and photos of structures.

In the chart below, list historic properties identified and evaluated in the APE. Every historic property that may be affected by the project should be included in the chart.

Upload the documentation (survey forms, Register nominations, concurrence(s) and/or objection(s), notes, and photos) that justify your National Register Status determination below.

Address / Location / District	National Register Status	SHPO Concurrence	Sensitive Information
-------------------------------	--------------------------	------------------	-----------------------

Additional Notes:

A search of surrounding sites in the area did not show any historical sites nearby. However, the building, and many within the APE are greater than 50 years old

- 2. **Was a survey of historic buildings and/or archeological sites done as part of the project?**

Yes

✓ No

Step 3 –Assess Effects of the Project on Historic Properties

Only properties that are listed on or eligible for the National Register of Historic Places receive further consideration under Section 106. Assess the effect(s) of the project by applying the Criteria of Adverse Effect. (36 CFR 800.5)] Consider direct and indirect effects as applicable as

per guidance on direct and indirect effects.

Choose one of the findings below - No Historic Properties Affected, No Adverse Effect, or Adverse Effect; and seek concurrence from consulting parties.

No Historic Properties Affected

✓ No Adverse Effect

Based on the response, the review is in compliance with this section.

Document reason for finding:

The State Historic Preservation Officer at the Kansas Historical Society provided a letter stating that the project may go forward. See attached.

Does the No Adverse Effect finding contain conditions?

Yes (check all that apply)

✓ No

Based on the response, the review is in compliance with this section. Document and upload concurrence(s) or objection(s) below.

Adverse Effect

Screen Summary

Compliance Determination

Based on Section 106 consultation the project will have No Adverse Effect on historic properties. Conditions: None. Upon satisfactory implementation of the conditions, which should be monitored, the project is in compliance with Section 106.

Supporting documentation

[Greenway Manor APE.pdf](#)

[Greenway Manor KS SHPO Approval.pdf](#)

[Greenway Manor THPO Consultation Checklist.pdf](#)

[Appendix A - Figures 7.pdf](#)

Are formal compliance steps or mitigation required?

Yes

No

Noise Abatement and Control

General requirements	Legislation	Regulation
HUD's noise regulations protect residential properties from excessive noise exposure. HUD encourages mitigation as appropriate.	Noise Control Act of 1972 General Services Administration Federal Management Circular 75-2: "Compatible Land Uses at Federal Airfields"	Title 24 CFR 51 Subpart B

1. What activities does your project involve? Check all that apply:

New construction for residential use

Rehabilitation of an existing residential property

NOTE: For major or substantial rehabilitation in Normally Unacceptable zones, HUD encourages mitigation to reduce levels to acceptable compliance standards. For major rehabilitation in Unacceptable zones, HUD strongly encourages mitigation to reduce levels to acceptable compliance standards. See 24 CFR 51 Subpart B for further details.

A research demonstration project which does not result in new construction or reconstruction

An interstate land sales registration

Any timely emergency assistance under disaster assistance provision or appropriations which are provided to save lives, protect property, protect public health and safety, remove debris and wreckage, or assistance that has the effect of restoring facilities substantially as they existed prior to the disaster
None of the above

4. Complete the Preliminary Screening to identify potential noise generators in the vicinity (1000' from a major road, 3000' from a railroad, or 15 miles from an airport).

Indicate the findings of the Preliminary Screening below:

There are no noise generators found within the threshold distances above.

- ✓ Noise generators were found within the threshold distances.

5. **Complete the Preliminary Screening to identify potential noise generators in the**

- ✓ Acceptable: (65 decibels or less; the ceiling may be shifted to 70 decibels in circumstances described in §24 CFR 51.105(a))

Indicate noise level here: 0

Based on the response, the review is in compliance with this section. Document and upload noise analysis, including noise level and data used to complete the analysis below.

Normally Unacceptable: (Above 65 decibels but not exceeding 75 decibels; the floor may be shifted to 70 decibels in circumstances described in §24 CFR 51.105(a))

Unacceptable: (Above 75 decibels)

HUD strongly encourages conversion of noise-exposed sites to land uses compatible with high noise levels.

Check here to affirm that you have considered converting this property to a non-residential use compatible with high noise levels.

Indicate noise level here: 0

Document and upload noise analysis, including noise level and data used to complete the analysis below.

Screen Summary

Compliance Determination

A Noise Assessment was conducted. The noise level was acceptable: 0.0 db. See noise analysis. The project is in compliance with HUD's Noise regulation.

Supporting documentation

[Westport Auxiliary Airport wksht.PDF](#)

- [Westport Airport wksht.PDF](#)
- [Lloyd Airport wksht.PDF](#)
- [ICT Airport wksht.PDF](#)
- [Cook Airport wksht.PDF](#)
- [Colonel James Airport wksht.PDF](#)
- [Cessna Airport wksht.PDF](#)
- [Beech Airport wksht.PDF](#)
- [Appendix A - Figures 5.pdf](#)

Are formal compliance steps or mitigation required?

Yes

✓ No

Sole Source Aquifers

General requirements	Legislation	Regulation
The Safe Drinking Water Act of 1974 protects drinking water systems which are the sole or principal drinking water source for an area and which, if contaminated, would create a significant hazard to public health.	Safe Drinking Water Act of 1974 (42 U.S.C. 201, 300f et seq., and 21 U.S.C. 349)	40 CFR Part 149

1. Does the project consist solely of acquisition, leasing, or rehabilitation of an existing building(s)?

Yes

Based on the response, the review is in compliance with this section.

No

Screen Summary

Compliance Determination

Based on the project description, the project consists of activities that are unlikely to have an adverse impact on groundwater resources. The project is in compliance with Sole Source Aquifer requirements.

Supporting documentation

[Appendix A - Figures 8.pdf](#)

Are formal compliance steps or mitigation required?

Yes

No

Wetlands Protection

General requirements	Legislation	Regulation
Executive Order 11990 discourages direct or indirect support of new construction impacting wetlands wherever there is a practicable alternative. The Fish and Wildlife Service's National Wetlands Inventory can be used as a primary screening tool, but observed or known wetlands not indicated on NWI maps must also be processed Off-site impacts that result in draining, impounding, or destroying wetlands must also be processed.	Executive Order 11990	24 CFR 55.20 can be used for general guidance regarding the 8 Step Process.

1. Does this project involve new construction as defined in Executive Order 11990, expansion of a building's footprint, or ground disturbance? The term "new construction" shall include draining, dredging, channelizing, filling, diking, impounding, and related activities and any structures or facilities begun or authorized after the effective date of the Order

✓ No

Based on the response, the review is in compliance with this section.

Yes

Screen Summary

Compliance Determination

Based on the project description this project includes no activities that would require further evaluation under this section. The project is in compliance with Executive Order 11990.

Supporting documentation

[Appendix A - Figures 9.pdf](#)

Are formal compliance steps or mitigation required?

Yes

✓ No

Wild and Scenic Rivers Act

General requirements	Legislation	Regulation
The Wild and Scenic Rivers Act provides federal protection for certain free-flowing, wild, scenic and recreational rivers designated as components or potential components of the National Wild and Scenic Rivers System (NWSRS) from the effects of construction or development.	The Wild and Scenic Rivers Act (16 U.S.C. 1271-1287), particularly section 7(b) and (c) (16 U.S.C. 1278(b) and (c))	36 CFR Part 297

1. Is your project within proximity of a NWSRS river?

No

Yes, the project is in proximity of a Designated Wild and Scenic River or Study Wild and Scenic River.

Yes, the project is in proximity of a Nationwide Rivers Inventory (NRI) River.

Screen Summary

Compliance Determination

This project is not within proximity of a NWSRS river. The project is in compliance with the Wild and Scenic Rivers Act.

Supporting documentation

[Appendix A - Figures 10.pdf](#)

Are formal compliance steps or mitigation required?

Yes

No

Environmental Justice

General requirements	Legislation	Regulation
Determine if the project creates adverse environmental impacts upon a low-income or minority community. If it does, engage the community in meaningful participation about mitigating the impacts or move the project.	Executive Order 12898	

HUD strongly encourages starting the Environmental Justice analysis only after all other laws and authorities, including Environmental Assessment factors if necessary, have been completed.

1. Were any adverse environmental impacts identified in any other compliance review portion of this project's total environmental review?

Yes

No

Based on the response, the review is in compliance with this section.

Screen Summary

Compliance Determination

No adverse environmental impacts were identified in the project's total environmental review. The project is in compliance with Executive Order 12898.

Supporting documentation

[20200407 Greenway Manor\(1\).pdf](#)

Are formal compliance steps or mitigation required?

Yes

No